

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

2 SD11
.A48
Cop. 3

EXTRA COPY

INDEX
TO THE
PROCEEDINGS

TALL TIMBERS FIRE ECOLOGY CONFERENCE

VOLUMES 1-15
1962-1976



USDA Forest Service
General Technical Report INT-87
Intermountain Forest and Range Experiment Station
U.S. Department of Agriculture, Forest Service

THE AUTHOR

WILLIAM C. FISCHER is a research forester for the Fire Effects and Use Research and Development Program at the Northern Forest Fire Laboratory. His current assignment is to apply existing research knowledge to improve operational fire management plans, with special emphasis on fire effects, fire use, and fuel management. Mr. Fischer received his bachelor's degree in forestry from the University of Michigan in 1956. From 1956 to 1966 he did Ranger District and Forest staff work in timber management and fire control on the Boise National Forest in Idaho. Mr. Fischer was the program chairman for the 14th Annual Tall Timbers Fire Ecology Conference and Intermountain Fire Research Council Fire and Land Management Symposium at Missoula, Mont., October 8, 9, and 10, 1974.

INDEX TO THE PROCEEDINGS OF THE
TALL TIMBERS FIRE ECOLOGY CONFERENCES:
Numbers 1-15, 1962-1976

William C. Fischer

Intermountain Forest and Range Experiment Station
U.S. Department of Agriculture
Forest Service
Ogden, Utah 84401

RESEARCH SUMMARY

This report provides an index to the contents of the 15-volume Proceedings of the Tall Timbers Fire Ecology Conferences held annually from 1962-1974. All of the papers published in the Proceedings are listed by author, date, and title. The contents of these papers can be searched by using the five-part index provided--actually five separate indexes: the geographic area index; the natural resource area index; the vegetative type index; the subject index; and the plant and animal index.

CONTENTS

| | Page |
|--|------|
| INTRODUCTION | 1 |
| List of Titles and Reference Numbers | 2 |
| The Indexes | 2 |
| Errors and Omissions | 3 |
| How to Use this Index | 3 |
| LIST OF TITLES AND REFERENCE NUMBERS | 5 |
| GEOGRAPHIC AREA INDEX | 38 |
| NATURAL RESOURCE AREA INDEX | 42 |
| VEGETATIVE TYPE INDEX | 47 |
| SUBJECT INDEX | 48 |
| PLANT AND ANIMAL INDEX | 58 |
| PUBLICATIONS CITED | 140 |

INTRODUCTION

The Station has as one of its primary interests the ecology of fire, including both basic research on the influence of fire on the environment and the application of fire in land management and in conservation generally. The purpose of these conferences is to bring together those individuals who are concerned with fire research, the application of controlled burning, and those active in the direction of the conservation and management of our natural resources. These conferences have promoted a better understanding of the use of fire and of its many ramifications in nature.

Fifteen Fire Ecology Conferences have been held. Their speakers and consequent *Proceedings* have brought international recognition to the Station. Scientists and investigators in many diverse fields (forestry, wildlife, agriculture, botany, zoology, geography, anthropology, etc.) have reported upon their studies and ideas. The speakers (more than 400) have come from all parts of the world (22 countries) and have represented government agencies, private industry, and both publicly and privately financed research institutions. The informality of these conferences, with their outdoor evening activities, has provided an ideal setting for much stimulating discussion. There is no doubt that these meetings have been imaginative, creative, educational, and scientific and have done much to stimulate research in *fire ecology* (words that were joined together for the first conference and are now universally recognized) and the use and management of fire. In fact, there is now a multitude of research projects on the subject regularly reported in standard scientific journals. Since the purpose of these conferences was to stimulate interest and research in this vital field, the Station has largely accomplished its original objectives.

(E. V. Komarek, Sr., 1977)

Tall Timbers Research Station is dedicated to a quest for ecological understanding. This quest has resulted in (among other things) the publication of the proceedings of the 15 annual fire ecology conferences referred to in the above excerpt from a review of the Station's first 17 years.

These proceedings contain 4,918 pages of fire ecology information. Unfortunately, as is the case with most conference proceedings, this information is not indexed for easy retrieval. Consequently, the information has not been used to its full potential.

The purpose of this publication is to provide an easy-to-use index to the contents of the 15-volume Proceedings of the Tall Timbers Fire Ecology Conferences. The author's primary concern is to help forest and range managers acquire the information they need to write ecologically sound fire use and fire management prescriptions and to better integrate fire considerations in land management planning.

The format of this index closely parallels the manner in which information is stored and retrieved by FIREBASE, the fire information segment of the computer-assisted Renewable Resources Technical Information System developed by the USDA Forest Service (Taylor and Eckels 1977).

List of Titles and Reference Numbers

The complete contents of the 15-volume Proceedings of Tall Timbers Fire Ecology Conferences are listed alphabetically by first author in the next section. A reference number precedes each title listed. This reference number is used to identify the title in the index that follows. A total of 314 titles are listed; consequently, the reference numbers run from 1 to 314.

The Indexes

The index is in five parts--actually five separate indexes. They are:

- Geographic area index
- Natural resource area index
- Vegetative type index
- Subject index
- Plant and animal index

The geographic area index follows the general format suggested by Lindler and others (1976) for FIREBASE. This index allows the user to search the proceedings for information pertaining to a specific country. Information pertaining to Canada and the United States is further identified by Province or State. The countries included in this index are listed as they appear in the proceedings. The user should be aware that the names of some of the countries have been changed in recent years.

The natural resource area index allows the user to search the proceedings for information that pertains to specific areas dedicated to renewable natural resource management, protection, or research. Among the areas included are national forest, grasslands, and parks, wildlife refuges, experimental forests and game ranges, U.S. Indian reservations, and state forests.

The vegetative types index allows the user to search for information relating to broad vegetative types such as desert, forest, grassland, prairie, savanna, shrubland, swamp, taiga, tundra, and veld. The forest type is further defined as conifer, hardwood, mixed, sclerophyll, and tropical.

The subject index allows the user to search for information dealing with specific fire and natural resource related subjects. The 143 subject matter keywords were selected from those developed by Eckels and others (1976) for FIREBASE.

The plant and animal index allows the user to search for information about specific biological organisms mentioned in the proceedings. Separate lists are provided for amphibians, reptiles, and fish; birds; insects; mammals; pathogens; and plants. All plants and animals are listed by genus and species. Common names are given only if they appeared in the proceedings.

Errors and Omissions

Much care was taken to make this index error-free. Errors may be discovered, nonetheless, especially in the spelling of scientific names. Some omissions in referencing may exist, although a serious attempt was made to be thorough.

How to Use this Index

This index is simple to use. The user should scan the different indexes and become familiar with the headings that are available to search under. To make a search, select the appropriate heading and note the reference numbers included under that heading. Use the reference numbers to identify the title of the article and the volume and page where it is located in the proceedings.

Several indexes can be used together to help eliminate unwanted references. For example, if information is desired on understory burning in coniferous forests of Montana, the subject index, the

vegetative type index, and the geographic area index can all be used to eliminate understory burning references that apply to non-coniferous forests or to areas other than Montana.

LIST OF TITLES AND REFERENCE NUMBERS

-A-

1. Ahlgren, Clifford E.
1963. Some basic ecological factors in prescribed burning
in northeastern Minnesota
2:143-149.
2. Aldrich, I. Donald.
1976. Is prescribed burning compatible with environmental
quality? A panel discussion
14:628-633.
3. Anderson, Henry W.
1976. Fire effects on water supply, floods and sedimentation
15:249-260.
4. Anderson, Kling L.
1964. Burning Flint Hills bluestem ranges
3:89-103.
5. Anderson, Kling L.
1965. Fire ecology - some Kansas prairie forbs
4:153-159.
6. Anderson, Roger C.
1973. The use of fire as a management tool on the Curtis
Prairie
12:23-35.
7. Arnold, Joseph F.
1963. Uses of fire in the management of Arizona watersheds
2:99-111.
8. Arnold, Keith.
1964. Project Skyfire lightning research
3:121-130.
9. Austen, Bruce.
1972. The history of veld burning in the Wankie National
Park, Rhodesia
11:277-296.

-B-

10. Baker, W. Wilson.
1974. Longevity of lightning-struck trees and notes on
wildlife use
13:497-504.
11. Baldwin, J. J.
1968. Chaparral conversion on the Tonto National Forest
8:203-208.
12. Barden, Lawrence S., and Frank W. Woods.
1974. Characteristics of lightning fires in southern
Appalachian forests
13:345-361.
13. Barnett, Steele.
1976. Are current fire management activities compatible
with park and wilderness values? A panel discussion
14:168-170.
14. Barrows, Jack S.
1976. Is prescribed burning compatible with environmental
quality? A panel discussion
14:633-637.
15. Batchelder, Robert B.
1967. Spatial and temporal patterns of fire in the tropical
world
6:171-208.
16. Bateman, Bryant A.
1968. Some comments concerning the wise use of fire
8:199-201.
17. Beadel, H. L.
1962. Fire impressions
1:1-6.
18. Beardall, Louis E., and Vern E. Sylvester.
1976. Spring burning for removal of sagebrush
14:539-547.
19. Bethea, John, L. S. Givens, E. F. Kennamer, E. V. Komarek, Sr.,
J. E. Moore, R. J. Riebold, H. L. Stoddard, G. A. Thompson, and
M. Trussel.
1962. Discussion: Fire and the environment - historical section
1:155-166.

20. Biswell, H. H.
1963. Research in wildland fire ecology in California
2:63-97.
21. Biswell, H. H.
1968. Forest fire in perspective
7:43-63.
22. Biswell, H. H.
1973. Fire ecology in ponderosa pine-grassland
12:69-96.
23. Blackwell, Gordon W.
1964. Welcome, third annual Tall Timbers Fire Ecology
Conference
3:vi.
24. Blaisdell, Robert S., Jean Wooten, and R. K. Godfrey.
1974. The role of magnolia and beech in forest processes in
the Tallahassee, Florida, Thomasville, Georgia, area
13:363-397.
25. Blydenstein, John.
1968. Burning and tropical American savannas
8:1-14.
26. Boardman, Walter S.
1967. Wildfire and natural area preservation
6:135-142.
27. Bock, Jane H., and Carl E. Bock.
1969. Natural reforestation in the northern Sierra Nevada-
Donner Ridge burn
9:119-126.
28. Bock, Jane H.
1976. Introductory remarks: Communication between ecolo-
gists and managers
14:193.
29. Bock, Jane H., Carl E. Bock, and Vernon M. Hawthorne.
1976. Further studies of natural reforestation in the
Donner Ridge burn
14:195-200.

30. Bonninghausen, R. A.
1962. The Florida Forest Service and controlled burning
1:43-64.
31. Bonninghausen, R. A.
1962. Forest land management and the use of fire
1:127-132.
32. Box, Thadis W.
1967. Brush, fire, and west Texas rangeland
6:7-19.
33. Braathe, Peder.
1974. Prescribed burning in Norway-effects on soil and
regeneration
13:211-222.
34. Brynard, A. M.
1972. Controlled burning in the Kruger National Park-history
and development
11:219-231.
35. Budowski, Gerardo.
1966. Fire in the tropical American lowland areas
5:5-22.
36. Bullen, E. R.
1974. Burning cereal crop residues in England
13:223-235.
37. Burma, George D.
1968. Controlled burning in the public domain in California
7:235-243.
38. Butts, David B.
1976. Fire management in Rocky Mountain National Park, part I
14:59-75.

-C-

39. Cable, Dwight R.
1973. Fire effects in the southwestern semidesert grass-
scrub communities
12:109-127.

40. Cayford, J. H.
1970. The role of fire in the ecology and silviculture
of jack pine
10:221-244.
41. Chamrad, Albert D., and J. D. Dodd.
1973. Prescribed burning and grazing for prairie chicken
habitat manipulation in the Texas coastal prairie
12:257-276.
42. Christianson, William.
1976. Introductory remarks and presentation of national
fire management award to Richard J. Sandman
14:1-3.
43. Ciriacy-Wantrup, S. V.
1965. Relations between ecology and economics
4:3-5.
44. Clagg, Henry B., and David R. Stevens.
1976. Fire management in Rocky Mountain National Park,
part II
14:77-86.
45. Cochrane, G. Ross.
1968. Fire ecology in southeastern Australian sclerophyll
forests
8:15-40.
46. Cochrane, G. Ross, and J. S. Rowe.
1969. Fire in the tundra at Rankin Inlet, N.W.T.
9:61-74.
47. Cooper, Robert W.
1962. Is prescribed burning paying off?
1:145-150.
48. Cooper, Robert W.
1963. Knowing when to burn
2:31-34.
49. Cooper, Robert W.
1967. Training through prescribed fire seminars
6:129-133.

50. Cooper, Robert W.
1974. Status of prescribed burning and air quality in the South
13:309-315.
51. Cornelius, Donald R.
1966. Use of range grasses on burned-over brush and timber land in California
5:131-147.
52. Coulter, C. H.
1966. Comments by the co-chairman
5:203-204.
53. Cowles, Raymond B.
1968. Fire suppression, faunal changes and condor diets
7:217-244.
54. Craig, James B.
1976. Are current fire management activities compatible with park and wilderness values? A panel discussion
14:170-172.
55. Crumb, John.
1976. Should fire managers have the option of using modified suppression techniques on fires occurring outside wilderness? A panel discussion
14:182-184.
56. Cumming, James A.
1969. Prescribed burning on recreation areas in New Jersey: History, objectives, influence, and technique
9:251-269.
57. Curl, Sam E.
1973. Fire science at Texas Tech
12:1-3.
58. Cypert, Eugene.
1973. Plant succession on burned areas in Okefenokee Swamp following the fires of 1954 and 1955
12:199-217.

-D-

59. Daniels, Orville L.
1976. Fire management takes commitment
14:163-165.
60. Dasmann, W., R. Hubbard, W. G. MacGregor, and A. E. Smith.
1968. Evaluation of the wildlife results from fuel breaks,
browseways, and type conversions
7:179-193.
61. Davis, D. R.
1974. Influence of thunderstorms on environmental ozone
13:505-516.
62. DeBruin, Henry W.
1976. From fire control to fire management: A major policy
change in the Forest Service
14:11-17.
63. DeByle, Norbert V.
1976. Soil fertility as affected by broadcast burning
following clearcutting in northern Rocky Mountain
larch/fir forests
14:447-464.
64. Dell, John D.
1976. Fuels and fire management - prescribed fire use on
the national forest in the Pacific Northwest region
15:119-125.
65. DeSelm, H. R., E. E. C. Clebsch, G. M. Nichols, and E. Thor.
1974. Response of herbs, shrubs, and tree sprouts in
prescribed-burn hardwoods in Tennessee
13:331-334.
66. DeSilvia, E. R.
1965. Prescribed burning in the northern Rocky Mountain
area
4:221-230.
67. Devet, David D.
1976. DESCON-utilizing benign wildfires to achieve land
management objectives
14:33-43.

68. Doerr, Phillip D., Lloyd B. Keith, and Donald H. Rusch.
1970. Effects of fire on a ruffed grouse population
10:25-46.
69. Dittmer, Karl.
1965. Welcome, fourth annual Tall Timbers Fire Ecology
Conference
4:1-2.
70. Doman, Everett R.
1968. Prescribed burning and brush type conversion in
California national forests
7:225-263.
71. Droege, Henry F.
1976. Fire and environmental criteria
15:261-263.
72. DuCharme, E. P.
1974. Lightning - A predator of citrus trees in Florida
13:483-496.

-E-

73. Emrick, Walter E.
1968. Organize, plan and prepare for control brush burning
7:163-178.

-F-

74. Fahnestock, George R.
1976. Fires, fuels, and flora as factors in wilderness
management: The Pasayten case
15:33-69.
75. Fairbanks, Charles H., O. E. Frye, E. V. Komarek, Sr., W. S.
Phillips, and W. B. Robertson.
1962. Discussion: Fire and the environment - ecological section
1:167-171.
76. Ferry, Gardner W.
1976. Are land managers applying our current knowledge of
fire ecology? A panel discussion
14:423-425.

77. Fillmore, Walter J.
1976. Is prescribed burning compatible with environmental
quality? A panel discussion
14:627-628.
78. Flieger, B. W.
1970. Forest fire and insects: The relation of fire to
insect outbreak
10:107-114.
79. Folger, John.
1962. Welcome, first annual Tall Timbers Fire Ecology
Conference
1:viii.

-G-

80. Gartner, F. Robert, and Wesley W. Thompson.
1973. Fire in the Black Hills forest - grass ecotone
12:37-68.
81. Gillon, Dominique.
1972. The effect of bush fire on the principal pentatomid
bugs (Hemiptera) of an Ivory Coast savanna
11:377-417.
82. Gillon, Yves.
1973. The effect of bush fire on the principal acridid
species of an Ivory Coast savanna
11:419-471.
83. Gimingham, C. H.
1970. British heathland ecosystems: The outcome of many
years of management by fire
10:293-321.
84. Gipe, Donald.
1976. Response of range to burning
15:25-31.
85. Givens, Lawrence S.
1962. Use of fire on southeastern wildlife ranges
1:121-126.

86. Glover, P. E.
1972. Nature, wildlife and the habitat with a discussion on
fire and other influences
11:319-336.
87. Gordon, Floyd A.
1976. Spring burning in an aspen-conifer stand for maintenance of moose habitat, West Boulder River, Montana
14:501-538.
88. Grange, Wallace.
1965. Fire and tree growth relationships to snowshoe rabbits
4:111-123.

-H-

89. Habeck, James R.
1976. Forests, fuels and fire in the Selway-Bitterroot
Wilderness, Idaho
14:305-353.
90. Hall, Frederick C.
1976. Fire and vegetation in the Blue Mountains: Implications
for land managers
15:155-170.
91. Handley, Charles O., Jr.
1969. Fire and mammals
9:151-159.
92. Hardison, John R.
1976. Fire and disease
15:223-234.
93. Harper, Roland M.
1962. Historical notes on the relation of fire to forests
1:11-29.
94. Hartesveldt, R. J., and H. T. Harvey.
1968. The fire ecology of sequoia regeneration
7:65-77.
95. Hartman, Harold E.
1976. Forestland fire: Industry's enemy and management ally
15:127-133.
96. Hawley, Norman R.
1964. Burning in naval stores forest
3:81-87.

97. Heady, Harold F.
1973. Burning and the grasslands in California
12:97-107.
98. Hedin, Al.
1976. Fire and environmental criteria
15:265-269.
99. Heilman, Edward G.
1976. Should fire managers have the option of using
modified suppression techniques on fire occurring outside
wilderness? A panel discussion
14:181-182.
100. Heinselman, Miron L.
1970. Restoring fire to the ecosystems of the Boundary
Waters Canoe Area, Minnesota, and to similar wilderness
areas
10:9-23.
101. Helvey, J. D., A. R. Tiedemann, and W. B. Fowler.
1976. Some climatic and hydraulic effects of wildfire in
Washington State
15:201-222.
102. Hendricks, Jared H.
1968. Control burning for deer management in chaparral
in California
8:219-233.
103. Hendrickson, W. H.
1973. Fire in the National Parks Symposium
12:339-343.
104. Hill, Peter.
1972. Grass foggage - food for fauna or fuel for fire,
or both?
11:337-375.
105. Hilmon, J. B., and Ralph H. Hughes.
1965. Forest Service research on the use of fire in live-
stock management in the South
4:261-275.
106. Hodgson, A.
1967. Fire management in eucalypt forest
6:97-111.

107. Howe, George E.
1976. The evolutionary role of wildfire in the northern
Rockies and implications for resource managers
14:257-265.
108. Hudson, Russell.
1976. Are land managers applying our current knowledge of
fire ecology? A panel discussion
14:425-426.
109. Hughes, Ralph H.
1966. Fire ecology of canebrakes
5:149-158.
110. Humphrey, Robert R.
1963. The role of fire in the desert and grassland areas
of Arizona
2:45-61.

-I-

111. Innes, R. Rose.
1972. Fire in west African vegetation
11:147-173.
112. Irving, Frank D.
1970. Field instruction in prescribed burning techniques
at the University of Minnesota
10:323-331.
113. Isaac, Leo A.
1963. Fire - a tool not a blanket rule in Douglas-fir
ecology
2:1-17.

-J-

114. Jackson, A. S.
1965. Wildfires in the Great Plains grasslands
4:241-259.
115. Jaeger, Leslie G.
1970. Welcome, tenth annual Tall Timbers Fire Ecology
Conference
10:1-2.

116. Johnson, Arlen H., and Garrett A. Smathers.
1976. Fire history and ecology, Lava Beds National Monument
15:103-115.
117. Jones, LeRoy.
1976. Are current fire management activities compatible with
park and wilderness values? A panel discussion
14:167-168.

-K-

118. Kallander, Harry.
1969. Controlled burning on the Fort Apache Indian Reserva-
tion, Arizona
9:241-249.
119. Kayll, J. A.
1967. Moor burning in Scotland
6:29-39.
120. Kayll, J. A.
1968. Heat tolerance of tree seedlings
8:89-105.
121. Kayll, J. A.
1970. The fire science centre at U.N.B.: its role and
development
10:3-8.
122. Kennan, T. C. D.
1972. The effects of fire on two vegetation types at
Matopos, Rhodesia
11:53-98.
123. Kessell, Stephen R.
1976. Wildland inventories and fire modeling by gradient
analysis in Glacier National Park
14:115-162.
124. Kickert, R. N., A. R. Taylor, D. H. Firmage, and M. J. Behan.
1976. Fire ecology research needs identified by research
scientists and land managers
14:217-256.

125. Kilgore, Bruce M.
1973. Impact of prescribed burning on a sequoia-mixed
conifer forest
12:345-375.
126. Kilgore, Bruce M.
1976. Introduction-Fire management section, Fire and Land
Management Symposium
14:7-9.
127. Kilgore, Bruce M.
1976. Fire management in the national parks: an overview
14:45-57.
128. Kirsch, Leo M., and Arnold D. Kruse.
1973. Prairie fires and wildlife
12:289-303.
129. Kittams, Walter H.
1973. Effect of fire on vegetation of the Chihuahuan
Desert region
12:427-444.
130. Klebenow, Donald A.
1973. The habitat requirements of sage grouse and the role
of fire in management
12:305-315.
131. Klock, Glen O., and J. D. Helvey.
1976. Soil water trends following wildfire on the Entiat
Experimental Forest
15:193-200.
132. Klukas, Richard W.
1973. Control burn activities in Everglades National Park
12:397-425.
133. Komarek, E. V., Sr.
1962. Dedication, first annual Tall Timbers Fire Ecology
Conference
1:ix.
134. Komarek, E. V., Sr.
1962. The use of fire: An historical background
1:7-10.

135. Komarek, E. V., Sr.
1962. Fire ecology
1:95-107.
136. Komarek, E. V., Sr.
1963. Introduction, second annual Tall Timbers Fire Ecology
Conference
2:viii-x.
137. Komarek, E. V., Sr.
1963. Fire, research, and education
2:181-187.
138. Komarek, E. V., Sr.
1964. The natural history of lightning
3:139-183.
139. Komarek, E. V., Sr.
1965. Fire ecology - grasslands and man
4:169-220.
140. Komarek, E. V., Sr.
1966. The meteorological basis for fire ecology
5:85-125.
141. Komarek, E. V., Sr.
1967. Fire - and the ecology of man
6:143-170.
142. Komarek, E. V., Sr.
1968. Dedication, the California Tall Timbers Fire Ecology
Conference
7:vii.
143. Komarek, E. V., Sr.
1968. The nature of lightning fires
7:5-41.
144. Komarek, E. V., Sr.
1968. Lightning and lightning fires as ecological forces
8:169-197.
145. Komarek, E. V., Sr.
1969. Fire and animal behavior
9:161-207.

146. Komarek, E. V., Sr.
1970. Controlled burning and air pollution: An ecological view
10:141-173.
147. Komarek, E. V., Sr.
1972. Lightning and fire ecology in Africa
11:473-511.
148. Komarek, E. V., Sr.
1973. Ancient fires
12:219-240.
149. Komarek, E. V., Sr.
1974. Further remarks on controlled burning and air pollution
13:279-282.
150. Komarek, E. V., Sr.
1974. Introduction to lightning ecology
13:421-427.
151. Komarek, E. V., Sr.
1976. Introductory comments, Fire and Land Management Symposium
14:4-5.
152. Komarek, E. V., Sr.
1976. Fire ecology review
14:201-216.
153. Komarek, Roy.
1963. Fire and the changing wildlife habitat
2:35-43.
154. Komarek, Roy.
1966. A discussion of wildlife management, fire and the wildlife landscape
5:177-194.
155. Komarek, Roy.
1974. Comments on fire and natural landscape
13:1-5.

-L-

156. Launchbaugh, J. L.
1973. Effect of fire on shortgrass and mixed prairie species
12:129-151.
157. Leege, Thomas A.
1968. Prescribed burning for elk in northern Idaho
8:235-253.
158. Leege, Thomas A.
1976. Are land managers applying our current knowledge of
fire ecology? A panel discussion
14:427-430.
159. Lehmann, V. W.
1965. Fire in the range of Attwater's prairie chicken
4:127-143.
160. LeHauerou, Henry N.
1974. Fire and vegetation in the Mediterranean Basin
13:237-277.
161. Lemon, Paul C.
1967. Effects of fire on herbs of the southeastern United
States and central Africa
6:113-127.
162. Lemon, Paul C.
1968. Fire and wildlife grazing on an African plateau
8:71-88.
163. Leopold, A. S., S. A. Cain, C. M. Cottam, I. N. Gabrielson, and
T. L. Kimball.
1963. Excerpts from *Wildlife Management in the National Parks*
2:xi-xv.
164. Liacos, L. G.
1974. Present studies and history
13:65-95.
165. Little, S.
1964. Fire ecology and forest management in the New Jersey
pine region
3:35-59.

166. Loope, Lloyd L., and Robert P. Wood.
1976. Fire management in Grand Teton National Park
14:87-98.
167. Lotan, James E.
1976. Cone serotiny - fire relationships in lodgepole pine
14:267-278.
168. Lotti, Thomas.
1962. The use of prescribed fire in the silviculture of
loblolly pine.
1:109-120.
169. Lucas, Robert C.
1976. Are current fire management activities compatible with
park and wilderness values? A panel discussion
14:172-174.
170. Lyon, L. Jack.
1969. Wildlife habitat research and fire in the northern
Rockies
9:213-227.
171. Lyon, L. Jack, and Peter F. Stickney.
1976. Early vegetal succession following large northern
Rocky Mountain wildfires
14:355-375.

-M-

172. Makowski, Henry.
1974. Problems of using fire in nature reserves
13:15-17.
173. Marshall, Joe T.
1963. Fire and birds in the mountains of southern Arizona
2:135-141.
174. Martin, Robert E.
1963. A basic approach to fire injury of tree stems
2:151-162.
175. Martin, Robert E., and Charles T. Cushwa.
1966. Effects of heat and moisture on leguminous seed
5:159-175.
176. Martin, Robert E., Charles T. Cushwa, and Robert L. Miller.
1969. Fire as a physical factor in wildland management
9:271-288.

177. Martin, Robert E., Dan D. Robinson, and Walter H. Schaeffer.
1976. Fire in the Pacific Northwest: Perspectives and
problems
15:1-23.
178. Martinka, Clifford J.
1976. Fire and elk in Glacier National Park
14:377-389.
179. Matthews, Robert P.
1976. Fire implications for land managers
15:117.
180. McGuire, John R.
1976. Fire as a force in land use planning
14:439-444.
181. McGuire, John R.
1976. Presentation of national fire management award to
Dr. Bruce M. Kilgore
14:445.
182. McIlvain, E. H., and C. G. Armstrong.
1966. A summary of fire and forage research on shinnery oak
rangelands
5:127-129.
183. McLaughlin, John S.
1973. Restoring fire to the environment in Sequoia and Kings
Canyon National Park
12:391-395.
184. McLeod, Bruce R.
1976. A direct fuel moisture measuring instrument: An aid
for prescribed fires
14:609-626.
185. McNasser, K. W.
1963. The team approach to forest fire research
2:127-133.
186. Mikell, H. K.
1968. Burning assistance and rural fire protection programs
8:209-217.

187. Miller, Howard A.
1963. Use of fire in wildlife management
2:19-30.
188. Miller, G. R., and Adam Watson.
1974. Some effects of fire on vertebrate herbivores in
the Scottish Highlands
13:39-64.
189. Miller, Margaret M., and Joseph W. Miller.
1976. Succession after wildfire in the North Cascades
National Park Complex
15:71-83.
190. Milner, Doris.
1976. Are current fire management activities compatible with
park and wilderness values? A panel discussion
14:174-178.
191. Moon, Gareth C.
1976. Introductory comments, Fire and Land Management
Symposium
14:3-4.
192. Moon, Gareth C.
1976. Introduction of Forest Service Chief John R. McGuire
14:437-438.
193. Moore, William R.
1976. Fire, land and the people
14:645-654.
194. Mount, A. B.
1969. Eucalypt ecology related to fire
9:75-108.
195. Mount, A. B.
1969. An Australian's impression of North American attitudes
to fire
9:109-118.
196. Munro, Neil.
1966. The fire ecology of Caribbean pine in Nicaragua
5:67-83.

197. Murphy, Alfred H.
1968. Controlled burning in chemise chaparral
7:245-255.

198. Murphy, Ray W.
1968. Experimental burning in park management
7:207-216.

-N-

199. Naveh, Z.
1974. The ecology of fire in Israel
13:131-170.

200. Neel, Leon.
1967. Head fires in southeastern pines
4:231-240.

201. Neel, Leon.
1967. Wildlife, forestry and fire
6:21-27.

202. Nelson, Jack R.
1976. Forest fire and big game in the Pacific Northwest
15:85-102.

203. Niering, William A., Richard H. Goodwin, and Sally Taylor.
1970. Prescribed burning in southern New England: Introduction to long-range studies
10:267-296.

204. Norum, Rodney A.
1976. Fire intensity - fuel reduction relationships associated with understory burning in larch/Douglas-fir stands
14:559-572.

-O-

205. Odum, Eugene P.
1963. Concluding remarks of the co-chairman (ecological section), second annual Tall Timbers Fire Ecology Conference
2:177-180.

206. Odum, Eugene P., Steven E. Pomeroy, J. C. Dickinson, III, and Kermit Hutcheson.
1974. The effects of late winter litter burn on the composition, productivity and diversity of a 4-year old fallow-field in Georgia
13:399-419.
207. Olindo, P. M.
1972. Fire and conservation of the habitat in Kenya
11:243-257.
208. Orme, Mark L., and Thomas A. Legee.
1976. Emergence and survival of redstem (*Ceanothus sanguineus*) following prescribed burning
14:391-420.
209. Owen, J. S.
1972. Fire and management in the Tanzania national parks
11:233-241.
- P-
210. Packer, Paul E., and Bryan D. Williams.
1976. Logging and prescribed burning effects on the hydrologic and soil stability behavior of larch/Douglas-fir forests in the northern Rocky Mountains
14:465-479.
211. Pangman, Hugh C.
1976. Should fire managers have the option of using modified suppression techniques on fires occurring outside wilderness? A panel discussion
14:187-190.
212. Parmeter, John R., Jr., and Bjarne Uhrenholdt.
1976. Effects of smoke on pathogens and other fungi
14:299-394.
213. Perkins, Carroll J.
1967. Prescribed burning on International Paper Company lands
6:1-6.

214. Perkins, Carroll J.
1968. Controlled burning in the management of muskrats and waterfowl in Louisiana coastal marshes
8:269-280.
215. Perry, R. Bruce.
1976. Is prescribed burning compatible with environmental quality? A panel discussion
14:637-639.
216. Phillips, John.
1965. Fire - as master and servant: Its influence in the bioclimatic regions of Trans-Saharan Africa
4:7-109.
217. Phillips, John.
1966. Introductory comment, fifth annual Tall Timbers Fire Ecology Conference
5:1-4.
218. Phillips, Walter S.
1962. Fire and vegetation of arid lands
1:81-93.
219. Phillips, Walter S.
1963. Concluding remarks of the co-chairman, second annual Tall Timbers Fire Ecology Conference (Application Section)
2:113-115.
220. Philpot, Charles W.
1976. Are land managers applying our current knowledge of fire ecology? A panel discussion
14:430-433.
221. Prunty, Merle C.
1965. Some geographic views of the role of fire in settlement processes in the South
4:161-168.
- R-
222. Raymond, F. H.
1968. Controlled burning on California wildlands
7:151-162.

223. Redfield, J. A., F. C. Zwickel, and J. F. Bendell.
1970. Effects of fire on numbers of blue grouse
10:63-83.
224. Reifsnyder, William E.
1970. Weather and fire control
10:115-127.
225. Requa, L. E.
1964. Lightning behavior in the Yukon
3:111-119.
226. Riebold, R. J.
1964. Large scale prescribed burning
3:131-138.
227. Robertson, William B.
1962. Fire and vegetation in the Everglades
1:67-80.
228. Rowe, J. S.
1970. Spruce and fire in northwest Canada and Alaska
10:245-254.

-S-

229. Sandberg, D. V., and S. G. Pickford.
1976. An approach to predicting slash fire smoke
15:239-248.
230. Sanderson, J. Everett.
1976. The role of fire suppression in fire management
14:19-31.
231. Sandman, Richard.
1976. Should fire managers have the option of using
modified suppression techniques on fires occurring
outside wilderness? A panel discussion
14:190.
232. Schaefer, Vincent J.
1974. Some physical relationships of fine particle smoke
13:283-294.
233. Schlichtemeier, Gary.
1967. Marsh burning for waterfowl
6:41-46.

234. Schuft, Peter H.
1973. A prescribed burning program for Sequoia and Kings
Canyon National Parks
12:377-389.
235. Scott, J. D.
1972. Veld burning in Nepal
11:33-51.
236. Scotter, George W.
1970. Wildfires in relation to the habitat of barren-
ground caribou in the taiga of northern Canada
10:85-105.
237. Sellers, Robert E., and Don G. Despain.
1976. Fire management in Yellowstone National Park
14:99-113.
238. Sharp, Ward M.
1970. The role of fire in ruffed grouse habitat management
10:47-61.
239. Shearer, Raymond C.
1976. Early establishment of conifers following prescribed
broadcast burning in western larch/Douglas-fir forests
14:481-500.
240. Siren, Gustav.
1974. Some remarks on fire ecology in Finnish forestry
13:191-209.
241. Skarra, Perry E.
1969. Some observations on Indian forests and prescribed
burning
9:209-212.
242. Skovlin, Jon M.
1972. The influence of fire on important range grasses of
east Africa
11:201-217.
243. Smith, D. W.
1968. Surface fires in northern Ontario
8:41-54.

244. Smith, E. F., and C. E. Owensby.
1973. Effects of fire on true prairie grasslands
12:9-22.
245. Smith, J. Harry G., and David E. Gilbert.
1976. Rates of spread and fire damage to timber cover types
in British Columbia
15:135-154.
246. Soutiere, Edward C., and Eric G. Bolen.
1973. Role of fire in morning dove nesting ecology
12:277-288.
247. Spencer, David L., and John B. Hakala.
1964. Moose and fire on the Kenai
3:11-33.
248. Squires, John W.
1964. Burning on private lands in Mississippi
3:1-9.
249. Stark, N.
1976. Fuel reduction-nutrient status and cycling relationships associated with understory burning in larch/Douglas-fir stands
14:573-596.
250. Steele, Robert.
1976. Smoke considerations associated with understory burning in larch/Douglas-fir
14:597-607.
251. Stewart, Omer C.
1963. Barriers to understanding the influence of use of fire by aborigines on vegetation
2:117-126.
252. Stoddard, Herbert L., Sr.
1962. Use of fire in pine forests and game lands of the deep Southeast
1:31-42.
253. Stoddard, Herbert L., Sr.
1962. Some techniques of controlled burning in the deep Southeast
1:133-144.

254. Stoddard, Herbert L., Sr.
1963. Bird habitat and fire
2:163-175.
255. Stoddard, Herbert L., Sr.
1964. Opening comments
3:vii-ix.
256. Strang, R. M.
1970. The ecology of the rocky heathlands of western Nova
Scotia
10:287-292.
257. Swanson, John R.
1976. Hazard abatement by prescribed underburning in west-
side Douglas-fir
15:235-238.
258. Sweeney, James R.
1968. Ecology of some "fire type" vegetations in northern
California
7:110-125.

-T-

259. Taylor, Alan R.
1969. Lightning effects on the forest complex
9:127-150.
260. Taylor, Alan R.
1974. Ecological aspects of lightning in forests
13:455-482.
261. Thompson, Daniel Q., and Ralph H. Smith
1970. The forest primeval in the Northeast--a great myth?
10:255-265.
262. Thompson, Glenn A.
1962. Forest Service policy for controlled use of fire
1:151-154.
263. Thompson, Glenn A.
1964. Fires in wilderness areas
3:105-110.

264. Thompson, Glenn A., J. Bethea, R. A. Bonninghausen, Sr.,
T. Lotti, W. H. Moore, R. J. Riebold, H. L. Stoddard, and
G. W. Whitlock.
1962. Discussion: Fire and the environment (Application
Section)
1:171-181.
265. Thompson, Keith M.
1976. Are land managers applying our current knowledge of
fire ecology? A panel discussion
14:421-423.
266. Thompson, Rita P.
1976. Are land managers applying our current knowledge
of fire ecology? A panel discussion
14:433-435.
267. Thor, Eyvind, and Gary M. Nichols.
1974. Some effects of fire on litter, soil, and hardwood
regeneration
13:317-329.
268. Tiedemann, Arthur R., and Glen O. Klock.
1976. Development of vegetation after fire, seeding, and
fertilization on the Entiat Experimental Forest
15:171-192.
269. Toole, E. Richard.
1965. Fire damage to commercial hardwoods in the southern
bottom lands
4:145-151.
270. Trabaud, Louis.
1974. Experimental study on the effects of prescribed
burning on a *Quercus coccifera* garrigue: early results
13:97-129.
271. Trollope, W. S. W.
1972. Fire as a method of eradicating macchia vegetation
in the Amotole Mountains of South Africa--experimental
and field scale results
11:99-120.
272. Truesdell, Paul S.
1969. Postulates of the prescribed burning program of the
Bureau of Indian Affairs
9:235-240.

273. Tuxen, Reinhold.
1974. The use of fire in nature conservation?
13:7-13.

-U-

274. Uggla, Evald.
1974. Fire ecology in Swedish forests
13:171-190.
275. Uman, Martin A.
1974. The physical parameters of lightning and the techniques
by which they are measured
13:429-454.

-V-

276. Van Der Ven, J. A.
1974. Nature management in the Netherlands and its
financial consequences with special attention to the role
of fire
13:19-37.
277. Van Rensburg, H. J.
1972. Fire: Its effect on grasslands, including swamps--
southern, central and eastern Africa
11:175-199.
278. Van Wagner, C. E.
1970. Fire and red pine
10:211-219.
279. Van Wyk, P.
1972. Veld burning in the Kruger National Park
11:9-31.
280. Verdal, Gustav.
1976. Should fire managers have the option of using modified
suppression techniques on fires occurring outside wilder-
ness? A panel discussion
14:190-192.
281. Vines, R. G.
1974. Air movements above large bush-fires
13:295-301.
282. Vines, R. G.
1974. Bush-fire smoke and air quality
13:303-307.

283. Vesey-Fitzgerald, Desmond.
1972. Fire and animal impact on vegetation in Tanzania
national parks
11:297-317.
284. Vogl, Richard J.
1967. Controlled burning for wildlife in Wisconsin
6:47-96.
285. Vogl, Richard J.
1968. Fire adaptations of some southern California plants
7:78-109.
286. Vogl, Richard J.
1969. Comments on controlled burning
9:1-4.
287. Vogl, Richard J.
1969. The role of fire in the evolution of the Hawaiian
flora and vegetation
9:5-60.
288. Vogl, Richard J.
1970. Fire and the northern Wisconsin pine barrens
10:175-209.
289. Vogl, Richard J.
1973. Fire in the southeastern grasslands
12:175-198.

-W-

290. Wade, Dale D.
1969. Research on logging slash disposal by fire
9:229-234.
291. Wade, Dale D., and Darold E. Ward.
1976. Prescribed use of fire in the South--a means of
conserving energy
14:549-558.
292. Wake, Benjamin.
1976. Is prescribed burning compatible with environmental
quality? A panel discussion
14:639-644.

293. Walker, Richard I.
1976. Are current fire management activities compatible with
park and wilderness values? A panel discussion
14:178-180.
294. Ward, D. E., and R. C. Lamb.
1970. Prescribed burning and air quality--current research
in the South
10:129-140.
295. Ward, Peter.
1968. Fire in relation to waterfowl habitat of the delta
marshes
8:254-267.
296. Weaver, Harold.
1964. Fire and management problems in ponderosa pine
3:61-79.
297. Weaver, Harold.
1968. Fire and its relationship to ponderosa pine
7:127-149.
298. West, Oliver.
1972. Fire, man and wildlife as interacting factors limiting
the development of vegetation in Rhodesia
11:121-145.
299. West, Oliver.
1973. Comments by a co-chairman, twelfth annual Fire Ecology
Conference
12:5-7.
300. Westemeier, Ronald L.
1973. Prescribed burning in grassland management for prairie
chickens in Illinois
12:317-338.
301. Wharton, Charles H.
1966. Man, fire and wild cattle in north Cambodia
5:23-65.
302. Wharton, Charles H.
1968. Man, fire, and wild cattle in southeast Asia
8:107-167.

303. Wheeler, R. J.
1972. Problem of controlling fires in Uganda national parks
11:259-275.
304. Wicker, Ed F., and Charles D. Leaphart.
1976. Fire and dwarf mistletoe (*Arceuthobium* spp.) relationships in the northern Rocky Mountains
14:279-298.
305. Wilhelm, E. J., Sr.
1968. Fire ecology of the Valdivian Rain Forest
8:55-70.
306. Wilhelm, Gene.
1973. Fire ecology in Shenandoah National Park
12:445-488.
307. Wilson, Jack F.
1976. Introduction, fire use section, Fire and Land Management Symposium
14:446.
308. Wolfe, Carl W.
1973. Effects of fire on a sand hills grassland environment
12:241-255.
309. Wood, Donald.
1976. Should fire managers have the option of using modified suppression techniques on fires occurring outside wilderness? A panel discussion
14:184-187.
310. Wright, Henry A.
1973. Fire as a tool to manage tobosa grasslands
12:153-167.
311. Wright, Henry A., Carlton M. Britton, Robert L. Wink, and Bob Beckhan.
1973. A progress report on techniques to broadcast burn dozed juniper
12:169-174.

-Z-

312. Zivnuska, John.
1968. Some thoughts on the role of fire in California
7:1-3.

313. Zontek, Frank.
1966. Prescribed burning on the St. Marks National Wildlife
Refuge
5:195-201.
314. Zwolinski, Malcom J., and John H. Ehrenreich.
1968. Prescribed burning on Arizona watersheds
7:195-205.

GEOGRAPHIC AREA INDEX

ASIA: 15, 91, 160, 217

Borneo: 302
Burma: 15, 302
Cambodia: 15, 301, 302
Ceylon: 15
Formosa: 15
India: 15, 134, 302
Indonesia: 15
Israel: 199
Japan: 138
Java: 15, 302
Laos: 15, 302
Macau: 15
Malaya: 302
Malaysia: 15
New Guinea: 15
Pakistan: 15
Philippines: 15
Sabah: 15
Samatra: 302
Sulawesi: 15
Thailand: 15, 301, 302
Timor: 15
Vietnam: 15, 301, 302

AFRICA: 15, 91, 147, 148, 160, 161, 162, 217, 277

Angola and Cabinda: 15
Balswana: 104
Bechuanaland: 15
Burundi: 15
Cameroon: 15, 104
Central African Republic: 15, 104
Chad: 15
Congo: 15, 104
Dahomey: 104
Ethiopia: 15
Gabon: 15
Ghana: 111
Guinea: 15
Ivory Coast: 81, 82, 111, 216

Kenya: 86, 104, 207, 216, 242
Malagasy: 15
Malawi: 15, 162
Mozambique: 15
Natal: 235
Nigeria: 15
Rhodesia: 9, 15, 104, 122, 145, 216, 298
Sierra Leone: 15
South Africa: 15, 34, 134, 216, 218, 235, 271, 279
Southwest Africa: 15
Sudan: 15
Tanganyika: 216
Tanzania: 15, 104, 209, 283
Uganda: 15, 104, 303
Upper Volta: 104
Zambia: 15, 104, 216

AUSTRALIA: 15, 75, 92, 106, 134, 135, 148, 194, 195, 218

Northern Australia: 15, 281
Southern Australia: 45
Victoria: 45
Western Australia: 45

EUROPE: 148, 160

England: 36, 83, 119, 148
Finland: 240
France: 270
Germany: 150, 172, 273
Greece: 164
Lapland: 274
Netherlands: 276
Norway: 33
Scotland: 83, 119, 187, 188
Sweden: 274

NORTH AMERICA: 15, 35, 91, 92, 124, 148, 217
(Including Central American Republics and Caribbean Islands)

Belize: 15, 35, 196
Canada: 40, 78, 92, 124, 144, 228, 278
 Alberta: 68
 British Columbia: 177, 223, 245
 Manitoba: 236, 295
 New Brunswick: 121
 Northwest Territories: 46, 228, 236

Nova Scotia: 256
 Ontario: 120, 243
 Saskatchewan: 236
 Yukon Territory: 225, 228
 Costa Rica: 15, 35
 Cuba: 15
 Dominican Republic: 15
 El Salvador: 15
 Guatemala: 15, 35
 Haiti: 15
 Honduras: 196
 Jamaica: 15
 Mexico: 15, 35, 144, 173
 Nicaragua: 15, 35, 196
 United States: 2, 3, 13, 14, 16, 26, 43, 49, 52, 62, 76, 77, 79,
 99, 103, 117, 124, 126, 127, 139, 141, 144, 145,
 146, 148, 149, 150, 152, 158, 163, 167, 176, 179,
 180, 181, 190, 211, 212, 215, 219, 220, 224, 229,
 230, 231, 232, 241, 251, 255, 259, 260, 265, 275,
 280, 292, 293, 299, 307, 309
 Alabama: 93, 140, 221
 Alaska: 88, 138, 228, 247
 Arizona: 7, 11, 39, 110, 118, 173, 218, 272, 314
 California: 20, 21, 22, 27, 29, 37, 51, 53, 60, 69, 70, 73,
 94, 97, 102, 113, 116, 125, 142, 163, 183, 195,
 197, 198, 202, 222, 234, 258, 312
 Colorado: 38, 44, 130
 Connecticut: 203
 Florida: 10, 17, 19, 23, 24, 30, 31, 45, 58, 61, 72, 75,
 93, 105, 132, 135, 136, 137, 138, 140, 153, 154,
 155, 186, 200, 221, 226, 227, 248, 250, 253, 264,
 286
 Georgia: 24, 45, 85, 96, 105, 140, 153, 154, 174, 185,
 200, 201, 205, 206, 221, 248, 290, 294
 Hawaii: 287
 Idaho: 54, 55, 66, 89, 107, 130, 157, 158, 170, 190, 208,
 263, 304
 Illinois: 300
 Kansas: 4, 5, 154, 159, 244
 Louisiana: 85, 159, 214, 221
 Maryland: 85, 221
 Michigan: 88, 128, 140, 153, 163, 187, 254
 Minnesota: 1, 88, 100, 112, 128
 Mississippi: 154, 248
 Missouri: 140
 Montana: 8, 28, 42, 59, 62, 63, 66, 87, 89, 107, 108, 123,
 137, 151, 178, 184, 185, 190, 191, 192, 193, 204,
 210, 230, 239, 249, 250, 266

Nebraska: 233, 308
Nevada: 18, 130
New Jersey: 56, 93, 165, 187
New Mexico: 129
North Carolina: 12, 96, 109, 140, 154, 221, 248
North Dakota: 128
Oklahoma: 182
Oregon: 64, 84, 90, 95, 113, 177, 202, 257, 297
Pennsylvania: 221, 238
South Carolina: 45, 67, 93, 109, 168, 221, 264
South Dakota: 80, 140
Tennessee: 12, 65, 248, 267
Texas: 32, 41, 57, 110, 159, 246, 269, 310, 311
Utah: 130
Virginia: 109, 140, 221, 269, 306
Washington: 3, 64, 71, 74, 90, 95, 98, 101, 113, 118, 131,
177, 189, 202, 268, 296, 297
West Virginia: 140
Wisconsin: 6, 88, 128, 187, 284, 288
Wyoming: 117, 163, 166, 237

SOUTH AMERICA: 15, 217

Argentina: 305
Bolivia: 15
Brazil: 15, 25
Chili: 305
Columbia: 15, 25, 35
Ecuador: 15
French Guiana: 15
Greater Antilles Island: 15
Guyana: 15
Paraguay: 15
Peru: 15
Trinidad and Tabago: 15, 35
Venezuela: 15, 25, 35

NATURAL RESOURCE AREA INDEX

INDIAN RESERVATIONS (U.S.):

Colville: 296, 297
Fort Apache: 7, 118, 148, 272, 296, 297, 314
Haulapai: 7, 314
Klamath: 177, 297
Papago: 110
San Carlos: 296, 297
Spokane: 296, 297
Warm Springs: 177, 296
Yakima: 296, 297

NATIONAL FORESTS (U.S.)

Allegheny: 140
Apache: 7, 118, 314
Apalachicola: 138, 154, 226, 248
Bitterroot: 59, 62, 89, 170, 171, 230, 266
Black Hills: 140
Chequamegon: 140, 284, 288
Cherokee: 12, 140
Chattahoochee: 140
Clearwater: 89, 140, 157
Coeur d'Alene: 304
Columbia: 144
Deerlodge: 8, 140
Flathead: 63, 140, 170, 210
Francis Marion: 67, 168, 200, 264
Gallatin: 87
George Washington: 140, 144
Humboldt: 18, 130
Huron: 140, 187
Jefferson: 140
Kaniksu: 170, 171
Klamath: 51, 140
Lassen: 51
Lewis and Clark: 140
Lincoln: 62, 118, 167
Lolo: 8, 89, 140, 170
Los Padres: 51
Malheur: 64
Mark Twain: 140
Medicine Bow: 140
Mendocino: 51
Mississippi: 248

Modoc: 51
Monongahela: 140
Mt. Baker-Snoqualmie: 74
Mt. Hood: 64
Nantahala: 12
Nebraska: 140, 308
Nezperce: 89, 157
Ocala: 226, 264
Okanogan: 74
Osceola: 226, 248
Ozark: 262
Pisgah: 12, 140
Plumas: 21
Quachita: 140
Ross Lake National Recreation Area: 74
Rogue River: 64
St. Joe: 54, 157
San Bernardino: 180
Sawtooth: 170, 171
Sierra: 21
Sequoia: 21, 51, 234
Siskiyou: 64
Sitgreaves: 118, 314
Stanislaus: 21, 185, 234
Superior: 140
Sumter: 67, 140
Tahoe: 51
Talladega: 140
Teton: 140
Tonto: 7, 11, 314
Umpqua: 64
Whitman: 297
Willamette: 64, 257

NATIONAL FOREST WILDERNESS AREAS (U.S.)

Boundary Waters: 110
Pasayten: 74
Selway - Bitterroot: 89, 263

NATIONAL GRASSLANDS (U.S.)

Crooked River: 64
Oglala: 138, 140
Thunder Basin: 138

NATIONAL PARKS AND MONUMENTS (U.S.)

Acadia: 26
Carlsbad Caverns: 103, 127, 129
Death Valley: 103
Everglades: 103, 127, 132, 148, 227
Glacier: 103, 123, 179
Grand Canyon: 103
Grand Teton: 103, 127, 163, 166
Great Smoky Mountains: 12, 140, 306
Isle Royale: 26, 153, 163
Lassen: 21, 163
Lava Beds: 116
Mammoth Cave: 26
McKinley: 88
Mount Rainer: 103
North Cascade: 127, 189
Pipestone: 103
Point Reyes National Seashore: 103
Redwood: 103
Rocky Mountain: 38, 44, 103, 127
Saguaro: 103, 127, 144, 173
Sequoia - Kings Canyon: 21, 94, 100, 103, 125, 127, 163, 182,
183, 198, 234
Shenandoah: 306
Wind Cave: 103
Yellowstone: 87, 103, 117, 127, 167, 237
Yosemite: 21, 22, 94, 103, 127, 163, 198

NATIONAL PARKS AND FOREST RESERVES (AFRICA)

Anara: 216
Arusha: 209
Central Kalahari: 104
Gombe: 209
Gwaai: 145
Kafue: 216
Kidepo Valley: 303
Kilimanjaro: 209
Kokondekro: 111
Kruger: 34, 104, 137, 279
Manyara: 209, 283
Mau-Mara-Serengeti: 86
Mikumi: 209
Moremi: 104

Murchison Falls: 303
Nairobi: 104
Olokemeji: 111
Queen Elizabeth: 303
Red Volta River: 111
Ruaha: 209
Serengeti: 209
Tarangire: 209, 238
Tsavo: 104, 207
Wankie: 9, 298
Zakouma: 104

NATIONAL PARKS (SWEDEN)

Muddus: 274

NATIONAL WILDLIFE REFUGES AND GAME MANAGEMENT AREAS (U.S.)

Agassiz National Wildlife Refuge: 128
Arrowwood Refuge: 128
Atwater's Prairie Chicken Refuge: 41
Ballard's Marsh Game Management Area: 233
Blackwater National Wildlife Refuge: 85
Crex Meadow Wildlife Area: 85
Delta National Wildlife Refuge: 148
Gene Howe Wildlife Management Area: 114
Kenai National Moose Range: 247
Lacassine National Wildlife Refuge: 85
Matador Game Management Area: 114
Mattamuskeet National Wildlife Refuge: 85
Moosehorn National Wildlife Refuge: 26
Necedah National Wildlife Refuge: 128
Northern Prairie Wildlife Research Center: 128
Noxubee National Wildlife Area: 85
Okenfenokee National Wildlife Refuge: 58
Pea Island National Wildlife Refuge: 85
Piedmont National Wildlife Refuge: 19, 85
Sabine National Wildlife Refuge: 85
Saint Marks National Wildlife Refuge: 138, 148, 154, 313
Savannah National Wildlife Refuge: 85
Seney National Wildlife Refuge: 128
Three-bar Wildlife Area: 7
Woodworth Station: 128

NATURAL RESOURCE RESEARCH AND EXPERIMENTAL AREAS

Arrowwood Refuge: 128
Bogata Management Area: 300

Cedar Creek Natural Area: 112
 Connecticut Arboretum: 203
 Corkscrew Experimental Forest: 105
 Entiat Experimental Forest: 3, 101, 131, 268
 Fire Science Center, UNB: 121
 Frankenwald Station: 217
 Greenwood Plantation: 144, 153, 252
 Highland Rim Forest Field Station: 65, 267
 Lamto Tropical Ecology Station: 81
 Lubrecht Experimental Forest: 204, 249, 250
 Matopos Research Station: 122
 Northern Forest Fire Laboratory: 8, 137, 185
 Pringle Falls Experimental Forest: 64
 Raymond and Margaret Dreier Robins Memorial Forest: 26
 Sagehen Creek Field Station: 27
 San Dimas Experimental Forest: 51
 Santa Rita Experimental Range: 39, 218
 Santee Experimental Forest: 168
 Sierra Ancha Experimental Forest: 7
 Southern Forest Fire Laboratory: 137, 174, 185, 290, 294
 Tall Timbers Research Station: 10, 17, 26, 136, 201
 U.S. Sheep Experiment Station: 130
 University of Wisconsin Arboretum: 6
 Westvaco Experimental Forest: 168
 Whitaker's Forest: 21, 234
 Woodworth Station: 128
 Western Forest Fire Laboratory: 185

STATE FORESTS

Blackwater River: 31, 186
 Cary: 31, 186
 Mountain Home: 234
 Pine Log: 31, 186
 Withlacoochee River: 31, 186

VEGETATIVE TYPE INDEX

DESERT: 110, 129, 135, 218, 219, 314

FOREST:

Forest-conifers: 1, 20, 21, 22, 27, 29, 38, 44, 63, 64, 74, 80,
87, 89, 90, 92, 94, 95, 100, 101, 107, 113, 116,
120, 125, 131, 135, 157, 164, 166, 167, 170,
171, 177, 178, 183, 189, 201, 202, 204, 208,
210, 213, 223, 234, 237, 239, 245, 250, 252,
257, 259, 268, 272, 290, 291, 296, 297, 304

Forest-hardwood: 106, 112, 194, 195, 203, 238, 248, 306

Forest-mixed: 7, 12, 17, 19, 24, 30, 31, 40, 47, 56, 68, 75,
78, 85, 93, 96, 134, 163, 165, 168, 173, 174,
205, 219, 226, 227, 228, 247, 253, 254, 261, 262,
263, 264, 278, 288

Forest-Sclerophyll: 45, 51

Forest-tropical: 15, 25, 35, 287, 301, 302

GRASSLAND: 4, 6, 9, 15, 20, 21, 25, 35, 39, 41, 80, 84, 92, 97, 104,
114, 116, 128, 130, 134, 139, 156, 161, 162, 163, 203,
206, 214, 216, 218, 233, 242, 244, 246, 251, 273, 277,
287, 289, 295, 300, 307, 308, 310, 314

PRAIRIE: 5, 6, 41, 114, 128, 130, 156, 244, 254, 300, 311

SAVANNA: 25, 35, 81, 82, 163, 216, 289

SHRUBLAND: 7, 11, 20, 32, 37, 39, 51, 57, 60, 70, 83, 102, 110, 119,
130, 160, 164, 166, 178, 188, 197, 202, 208, 218, 222,
256, 270, 276, 308, 314

SWAMP: 58, 277, 284

TAIGA: 236

TUNDRA: 46

VELD: 9, 34, 43, 104, 122, 217, 235, 271, 279, 303

SUBJECT INDEX

- ABORIGINAL MAN: 5, 9, 97, 111, 114, 135, 141, 147, 152, 194, 199,
216, 218, 221, 251, 255, 298, 301, 302, 306, 312
- AGRICULTURE: 36, 72, 141, 206, 302
- AIR QUALITY: 2, 14, 40, 50, 52, 56, 126, 146, 149, 193, 198, 199,
215, 222, 224, 229, 232, 250, 282, 292, 294
- ANIMALS: 1, 5, 7, 9, 10, 11, 16, 17, 18, 20, 31, 33, 40, 41, 51, 53,
68, 72, 81, 82, 83, 85, 86, 87, 88, 90, 91, 92, 93, 94,
102, 104, 114, 116, 119, 122, 123, 125, 128, 129, 130, 132,
133, 134, 137, 138, 141, 145, 150, 152, 153, 154, 162, 167,
173, 178, 187, 188, 201, 202, 206, 207, 213, 214, 216, 223,
227, 233, 236, 238, 246, 247, 252, 253, 254, 260, 261, 263,
269, 276, 283, 284, 285, 288, 295, 298, 300, 301, 302, 308,
313
- BIRDS: 1, 7, 10, 11, 16, 17, 18, 20, 40, 41, 53, 68, 69, 82, 83, 85,
86, 88, 93, 104, 114, 119, 122, 128, 130, 134, 139, 141, 145,
150, 152, 153, 154, 173, 187, 188, 201, 213, 214, 216, 223,
227, 233, 238, 246, 247, 252, 253, 261, 276, 284, 288, 295,
298, 300, 308, 313
- BURNING GUIDELINES: 4, 18, 20, 48, 66, 70, 73, 98, 102, 113, 118, 119,
157, 197, 204, 250, 290, 300, 310, 311, 313
- CAVITY NESTING BIRDS: 10, 145, 150, 153, 173, 253, 254
- CLIMATE: 15, 25, 35, 101, 111, 122, 135, 139, 144, 147, 160, 196,
224, 240, 242, 276
- CLOUDS: 8, 61, 138
- COOPERATIVE PROGRAMS: 41, 136
- COVER-TYPE CONVERSION: 6, 8, 17, 18, 32, 37, 51, 60, 65, 70, 73, 75,
80, 87, 102, 111, 134, 154, 157, 160, 172, 187,
196, 197, 199, 200, 214, 252, 261, 271, 272,
273, 284, 291, 297, 298
- CROPLAND FIRE: 36
- CROWN FIRES: 35, 47, 167, 194, 272, 278

DUFF: 33, 63, 184, 204, 228, 240, 278

ECOLOGY (general): 86, 104, 123, 146, 163, 170, 193, 194, 251

ENVIRONMENTAL IMPACT ANALYSIS: 2, 14, 71, 77, 98, 180

EROSION: 210, 240, 264, 285

EVOLUTION: 107, 135

EXPERIMENTAL FIRES: 35, 57, 63, 64, 65, 82, 87, 111, 112, 122, 128,
156, 164, 185, 198, 203, 204, 206, 233, 235,
242, 243, 248, 249, 250, 267, 270, 271, 277,
278, 279, 284, 289, 294, 298, 310

FERTILIZERS: 75, 218, 273

FIRE:

Adaptations: 25, 91, 107, 109, 135, 141, 152, 161, 162, 167, 171,
174, 178, 194, 225, 258, 264, 285, 302, 304, 305

Fire Behavior: 12, 25, 35, 45, 47, 66, 81, 83, 87, 106, 111,
119, 120, 125, 135, 140, 141, 162, 174, 176,
185, 194, 196, 198, 200, 203, 204, 237, 243,
245, 253, 263, 270, 281, 284, 287, 310, 311

Fire Breaks: 9, 30, 156, 248, 264, 303

Fire Case Histories: 27, 67, 170, 198, 237, 308

Fire Causes: 21, 35, 74, 84, 147, 148, 160, 164, 199, 245,
303, 307

Fire Danger Rating: 38, 144, 224

Fire Ecology: 1, 5, 17, 19, 20, 22, 40, 45, 46, 57, 58, 75, 76,
83, 85, 93, 94, 107, 113, 116, 122, 124, 133, 134,
135, 136, 139, 147, 152, 155, 160, 165, 167, 168,
171, 173, 189, 199, 202, 217, 218, 221, 225, 227,
228, 235, 240, 252, 265, 266, 273, 279, 296, 297,
301, 304, 305, 307

- Fire Effects: 1, 22, 25, 39, 56, 58, 68, 75, 81, 82, 83, 95, 102, 106, 110, 111, 122, 129, 139, 141, 156, 161, 165, 168, 174, 177, 182, 196, 203, 206, 207, 210, 218, 235, 236, 238, 242, 277, 278, 283, 284, 288, 289, 298, 301, 302, 303, 308, 313
- Fire Exclusion: 2, 21, 24, 53, 107, 108, 109, 110, 116, 118, 159, 173, 200, 201, 237, 296, 297, 307
- Fire Frequency: 12, 22, 44, 100, 135, 143, 166, 177, 178, 196, 218, 287
- Fire Hazard Reduction: 7, 11, 15, 17, 20, 21, 30, 31, 47, 52, 60, 66, 67, 80, 90, 94, 102, 106, 108, 113, 118, 125, 132, 162, 164, 165, 168, 173, 176, 196, 198, 200, 203, 204, 206, 213, 222, 223, 226, 234, 249, 250, 253, 254, 257, 262, 272, 284, 285, 291, 296, 297, 313, 314
- Fire History: 9, 17, 19, 20, 21, 33, 38, 58, 74, 78, 80, 83, 88, 89, 93, 95, 97, 100, 110, 114, 116, 118, 128, 134, 135, 141, 147, 148, 152, 157, 159, 164, 165, 166, 177, 178, 216, 218, 227, 230, 236, 237, 245, 248, 251, 252, 261, 263, 284, 287, 302, 305, 307, 313
- Fire Injury: 34, 45, 47, 58, 87, 92, 125, 168, 174, 176, 203, 231, 240, 245, 259, 263, 269, 284, 305
- Fire Laws: 55, 255, 262
- Firelines: 52, 226
- Fire Management: 2, 13, 14, 19, 20, 30, 38, 42, 44, 48, 54, 55, 59, 64, 74, 95, 99, 100, 102, 106, 113, 117, 123, 126, 141, 163, 169, 179, 181, 190, 193, 198, 204, 209, 218, 219, 230, 248, 293, 304
- Fire Management Economics: 11, 19, 20, 37, 43, 47, 60, 64, 102, 106, 168, 200, 234, 264, 268, 272, 276, 284, 290, 291, 309, 310, 312
- Fire Management Planning: 9, 38, 62, 67, 73, 102, 118, 123, 126, 190, 211, 230, 237
- Fire Management Prescriptions: 38, 59, 64, 67, 87, 99, 107, 166, 198, 204, 234, 237, 309

Fire Management Training: 49, 57, 62, 112, 121, 186, 193, 230, 264

Fire Models: 123, 124

Fire Occurrence: 8, 15, 21, 35, 44, 67, 74, 84, 88, 93, 140, 143, 166, 178, 230, 236, 237, 240, 263, 269, 287

Fire Presuppression: 18, 211, 230

Fire Prevention: 17, 30, 35, 36, 69, 135, 154, 225, 262, 313

Fire Resistance: 4, 35, 120, 125, 194, 196, 207, 264, 278, 285, 296

Fire Risk: 78

Fire Science: 45, 49, 57, 112, 121, 141, 174, 176, 185, 220, 232, 278

Fire Season Severity: 48

Fire Suppression: 53, 62, 99, 169, 190, 193, 209, 211, 225, 230, 234, 261, 280, 309

Fire Weather: 12, 47, 48, 51, 144, 185, 224

Fire Techniques: 11, 30, 31, 47, 56, 73, 102, 112, 118, 125, 132, 157, 162, 200, 234, 242, 243, 252, 253, 290, 310, 311

FISH: 86

FLOODS: 3

FOLIAGE: 45

FORAGE PRODUCTION: 20, 22, 39, 90, 157, 161, 182, 244, 277, 297, 310

FOREST MANAGEMENT: 31, 47, 85, 96, 113, 153, 158, 193, 194, 201, 216, 226, 241, 248, 253, 262, 278, 296, 313

FUEL:

Accumulation: 2, 17, 25, 34, 45, 56, 74, 89, 95, 100, 125, 141, 154, 164, 166, 168, 177, 194, 195, 197, 200, 252, 267, 273, 277, 287, 289

Fuel Appraisal: 44, 74, 89, 90, 123, 204, 257

Fuel Breaks: 11, 51, 60, 197, 234

Fuel Management: 11, 31, 47, 51, 64, 66, 80, 98, 106, 176, 177,
195, 196, 197, 198, 200, 203, 204, 206, 226,
234, 249, 253, 254, 272, 290

Fuel Moisture Content: 48, 184

Fuels: 22, 45, 74, 89, 90, 104, 123, 144, 167, 177, 185, 196,
204, 229, 249, 250, 257, 259, 313

FUNGI: 22, 31, 33, 40, 52, 56, 72, 92, 139, 194, 203, 212, 213, 238,
259, 260, 269, 274, 286, 304, 313

GAME BIRDS: 7, 10, 11, 16, 17, 18, 20, 40, 41, 68, 83, 93, 114, 119,
128, 130, 133, 134, 139, 145, 152, 153, 154, 187, 188,
201, 213, 214, 223, 233, 238, 246, 252, 253, 254, 261,
276, 284, 295, 298, 300, 308, 312

GENETICS: 45, 107, 139

GRASSES: 104, 227, 313

GRASS FIRES: 4, 97, 114, 156, 159, 162, 310

GRAZING: 4, 7, 11, 20, 31, 32, 37, 41, 83, 84, 105, 109, 110, 116,
119, 122, 130, 153, 159, 161, 162, 164, 173, 197, 199,
216, 218, 235, 248, 254, 271, 276, 283, 295, 296, 297,
303, 313, 314

HERBICIDES: 11, 18, 37, 51, 70, 73, 130, 165, 182, 199, 246, 310

HYDROLOGY: 3, 101, 210

IGNITION: 18, 66, 141, 143, 226, 260

INCENDIARY FIRES: 30

INSECT: 5, 10, 20, 33, 41, 72, 78, 81, 82, 92, 116, 125, 138, 145,
150, 152, 153, 167, 206, 252, 254, 259, 260, 269, 296, 300, 301

INSECT DAMAGE: 20, 78, 138, 150, 259

LAND MANAGEMENT: 26, 80, 237, 262, 266

LAND MANAGEMENT PLANNING: 62, 180, 193, 211, 220, 230

LIGHTNING: 8, 10, 72, 80, 138, 139, 140, 141, 143, 144, 147, 150,
224, 259, 260, 275, 287

Lightning-Caused Fires: 8, 12, 20, 21, 35, 38, 40, 44, 72, 74,
80, 97, 113, 116, 129, 135, 138, 139,
140, 143, 144, 145, 147, 148, 152, 155,
178, 181, 183, 194, 224, 225, 259, 260,
263, 285, 287, 303, 306, 308, 312

Lightning Detection: 8, 275

Lightning Effects: 72, 144, 150, 259, 260

LITTER: 63, 184, 206, 267, 289, 313

LIVESTOCK: 4, 7, 51, 60, 75, 84, 90, 104, 105, 109, 110, 139, 153,
154, 182, 197, 218, 244, 248, 313

MAMMALS: 1, 7, 9, 10, 18, 20, 31, 53, 68, 85, 86, 87, 88, 90, 91,
94, 104, 112, 114, 123, 123, 128, 129, 132, 137, 139, 141,
145, 153, 154, 162, 178, 187, 188, 202, 206, 207, 214, 216,
236, 247, 261, 263, 283, 284, 285, 295, 298, 301, 302, 308,
313

MAN-CAUSED FIRES: 12, 15, 21, 34, 56, 129, 138, 159, 194, 251, 285,
287, 298, 305, 306

MORTALITY: 10, 203, 259, 284

NONGAME BIRDS: 10, 20, 40, 53, 69, 82, 122, 128, 139, 141, 145, 150,
153, 173, 187, 188, 216, 227, 247, 254, 308

NUTRIENTS: 1, 2, 33, 63, 75, 101, 104, 113, 125, 162, 187, 188, 194,
206, 208, 216, 218, 240, 243, 244, 249, 260, 267, 308

NUTRIENT CONTENT (forage): 20, 22, 53, 88, 254, 283

PARK AND RECREATION MANAGEMENT: 9, 34, 38, 44, 56, 163, 169, 186,
190, 198, 207, 209, 223, 234, 283,
306

PLANT ECOLOGY: 22, 25, 39, 46, 65, 83, 110, 111, 119, 129, 153, 160,
170, 194, 206, 227, 256, 258, 270, 278, 285, 287

PLANT PATHOLOGY: 31, 33, 40, 52, 56, 67, 72, 92, 212, 213, 238, 259,
274, 286, 289, 304, 313

PREScribed FIRE: 1, 2, 3, 4, 5, 6, 7, 9, 11, 14, 15, 16, 17, 18, 19, 20, 21, 22, 25, 26, 30, 31, 33, 34, 35, 37, 40, 41, 43, 45, 47, 48, 49, 50, 51, 52, 54, 56, 60, 62, 63, 64, 65, 66, 67, 70, 71, 73, 77, 79, 83, 85, 87, 90, 92, 93, 94, 95, 97, 98, 100, 102, 104, 106, 107, 108, 109, 112, 113, 118, 119, 122, 125, 126, 127, 128, 130, 132, 133, 134, 142, 146, 152, 153, 154, 156, 157, 158, 159, 161, 162, 163, 164, 165, 168, 169, 170, 171, 172, 177, 182, 184, 185, 186, 187, 188, 194, 195, 196, 197, 198, 199, 200, 201, 203, 204, 205, 206, 208, 209, 210, 213, 214, 216, 217, 218, 221, 222, 223, 224, 226, 231, 233, 234, 235, 238, 239, 240, 241, 242, 243, 244, 246, 248, 249, 250, 252, 253, 254, 255, 256, 262, 263, 264, 267, 270, 271, 272, 274, 276, 277, 279, 281, 282, 283, 284, 286, 289, 290, 291, 292, 294, 295, 297, 300, 301, 302, 303, 304, 306, 307, 309, 310, 311, 312, 313, 314

PREScribed FIRE (chance ignition): 67, 103, 181, 183, 230, 237

PUBLIC INFORMATION: 30

PUBLIC RELATIONS: 19, 36, 38, 126, 169, 266

RAIN: 1, 47, 287

RANGELAND FIRES: 4, 32, 84

RANGE MANAGEMENT: 4, 5, 7, 11, 20, 21, 22, 32, 41, 73, 80, 97, 105, 111, 130, 134, 154, 182, 188, 197, 218, 222, 244, 252, 262, 283, 310

REGENERATION: 20, 24, 29, 33, 37, 40, 45, 70, 94, 108, 109, 120, 157, 167, 168, 171, 175, 195, 208, 212, 239, 240, 258, 267, 268, 278, 314

REFORESTATION: 27, 29, 256

REPTILES AND AMPHIBIANS: 10, 86, 132, 145, 254, 301

RESEARCH NEEDS: 20, 44, 124, 137, 163, 205, 207, 219, 264, 297

RESEARCH PLANNING: 1, 80, 82

RODENTS: 1, 20, 53, 68, 85, 86, 90, 91, 94, 104, 129, 137, 139, 145,
154, 206, 214, 285, 295, 301, 308, 313

SEDIMENTATION: 3, 210, 249

SHRUBLANDS: 7, 11, 20, 32, 37, 39, 51, 57, 60, 70, 83, 102, 110, 119,
130, 160, 164, 166, 178, 188, 197, 202, 208, 218, 222,
256, 270, 276, 308, 314

SHRUBLAND FIRES: 18, 32, 45, 81, 82, 281, 282

SILVICULTURE: 16, 20, 22, 24, 27, 33, 40, 47, 52, 56, 60, 66, 67,
88, 90, 94, 108, 109, 113, 120, 165, 167, 168, 194,
196, 213, 226, 228, 239, 241, 278, 297, 314

SITE TREATMENT: 30, 31, 37, 40, 66, 67, 70, 94, 109, 168, 196, 213,
226, 239, 278, 291, 311, 314

SLASH: 22, 40, 55, 64, 66, 80, 95, 177, 194, 213, 223, 238, 274, 292,
297, 314

Slash and Burn: 15, 35, 301, 302

Slash Treatments: 40, 63, 95, 98, 165, 177, 213, 223, 238, 272,
290, 297, 314

SMOKE: 2, 22, 64, 127, 145, 146, 149, 249, 250, 254, 274, 284, 292,
294

Smoke Effects: 212

Smoke Management: 14, 22, 50, 71, 95, 98, 149, 229, 232, 250,
282

SMOKEY BEAR PROGRAM: 7, 22, 38, 52, 54, 76, 95, 126, 154, 158, 211,
213, 219, 284

SNAGS: 10, 116, 297

SOILS: 1, 20, 25, 33, 36, 41, 47, 51, 63, 90, 93, 102, 113, 131,
156, 162, 165, 168, 176, 188, 196, 199, 208, 210, 216, 240, 243,
244, 249, 267, 274, 301, 308

Soil Moisture: 4, 5, 208, 243

Soil Organisms: 1, 6, 206, 212, 274

Soil Temperature: 6, 47, 83, 94, 101, 161, 175, 239, 240, 243,
244, 274

SPROUTING: 20, 39, 64, 87, 119, 165, 188, 258, 267, 285

SUCCESSION: 1, 24, 35, 45, 53, 58, 74, 87, 89, 90, 94, 109, 110,
114, 119, 123, 139, 156, 157, 160, 165, 167, 170, 171,
188, 189, 206, 208, 214, 216, 218, 225, 227, 235, 237,
243, 247, 258, 268, 274, 283, 284, 285, 301, 305, 306

SURFACE FIRES: 22, 35

THINNING: 20, 22, 55, 90, 196, 296, 297

THUNDERSTORMS: 8, 61, 138, 143, 147, 185, 275, 287

TIMBER HARVEST PRACTICES: 63, 201, 210, 223, 239

UNDERSTORY BURNING: 22, 64, 90, 168, 204, 257, 289, 314

UNDERSTORY VEGETATION: 45, 89, 112, 171, 201, 210, 234, 245, 268,
308

UNGALATES: 7, 9, 18, 20, 31, 60, 86, 87, 90, 91, 102, 104, 122, 123,
128, 132, 141, 145, 153, 154, 157, 158, 162, 178, 187,
188, 202, 207, 216, 225, 236, 247, 261, 263, 283, 284,
301, 302, 308

URBAN-WILDLAND INTERFACE: 19, 180, 186, 222

VEGETATION TYPES: 46, 74, 111, 116, 123, 132, 177, 199, 225, 227, 247,
261, 284, 297, 304, 314

WATERSHED MANAGEMENT: 3, 20, 56, 60, 101, 210, 314

WATERSHEDS: 3, 7, 51, 102, 131, 197, 215, 268

WEATHER: 47, 48, 51, 61, 138, 140, 143, 146, 176, 250, 275, 281, 313

WEATHER MODIFICATION: 8

WILDERNESS AREAS: 9, 13, 54, 74, 89, 100, 117, 169, 183, 190, 234

WILDERNESS FIRE MANAGEMENT: 13, 54, 89, 100, 117, 155, 166, 183, 234,
237, 293

WILDFIRES: 1, 7, 14, 15, 20, 21, 23, 25, 26, 35, 40, 46, 51, 60, 68,
78, 84, 89, 90, 101, 106, 114, 127, 131, 145, 148, 154,
157, 160, 164, 165, 170, 171, 176, 189, 208, 218, 222,
227, 236, 245, 247, 258, 259, 263, 268, 281, 288, 295,
298, 303, 306, 308, 314

WILDLIFE HABITAT MANAGEMENT: 9, 10, 11, 16, 18, 20, 31, 37, 53, 60,
67, 83, 85, 86, 87, 90, 91, 102, 104,
114, 119, 128, 130, 153, 157, 158, 162,
163, 170, 172, 178, 187, 188, 197, 201,
202, 208, 213, 214, 223, 233, 236, 238,
246, 247, 252, 253, 254, 262, 283, 284,
295, 300, 302, 308

WIND: 47, 48

WOOD PRODUCTS: 96

PLANT AND ANIMAL INDEX

AMPHIBIANS, REPTILES, AND FISH

Agkistrodon piscevorus, water moccasin: 145, 254

Barbus spp., catfish: 86

Bufo spp., toads: 86

Caretta caretta caretta, loggerhead turtle: 132

Clarias spp., catfish: 86

Crocodylus niloticus, crocodile: 86

C. siamensis, crocodile: 301

Crotalus adamanteus, diamondback rattlesnake: 10, 132, 145, 254

Dendrohyrax brucei, tree hyrax: 86

Elaphe obsoleta, gray ratsnake: 10

E. guttata, red ratsnake: 10

Eumeces spp., lizard: 10

Hyla cinerea, green tree frog: 145

H. crucifera, spring peeper: 145

Maloclemys terrapin macospilata, diamond-backed terrapin: 132

Manis pentadachya, pangolin: 301

Procavia johnstoni, rock hyrax: 86

Python reticularis, regal python: 301

Rana spp., frog: 86

Terrapene carolina bauri, Florida box turtle: 132

Tilapia spp., fish: 86

Varanus niloticus, monitor lizard: 86

V. salvator, large monitor lizard: 301

Xenopus laevis, frog: 86

BIRDS

- Accipiter badius*: 45
 A. cooperii, Cooper's hawk: 145
 A. fasciatus, Australian goshawk: 145
- Aerops albicollis*: 82
- Agelaius phoeniceus*, red-winged blackbird: 145
 A. tricolor, tricolored blackbird: 145
- Aimophila aestivalis*, Bachman's sparrow: 145
- Aix sponsa*, wood duck: 10
- Alopochen aegyptiacus*, Egyptian goose: 86
- Amblycorpha oblongifolia*, green katydid: 145
- Ammospiza mirabilis*, Cape Sable sparrow: 227
- Anas carolinensis*, green-winged teal: 154, 233
 A. discors, blue-winged teal: 54, 233
 A. platyrhynchos, mallard: 233
 A. strepera, gadwall: 233
- Apus aequatorialis*, mottled swift: 216
 A. niansae, Nyanza swift: 216
- Aquila morphnoides*, little eagle: 145
- Ardea herodias*, great blue heron: 145
 A. melanocephala, black-tailed heron: 145
- Arenaria interpres*, ruddy turnstone: 254
- Aviceda cuculoides*: 82
- Aythya americana*, redhead: 233
 A. collaris, ring-necked duck: 233
- Bartramia longicauda*, upland plover: 128, 254
- Bombycilla cedrorum*, cedar waxwing: 145
- Bonasa umbellus*, ruffed grouse: 68, 88, 154, 187, 238, 261, 284
- Botaurus centiginosus*, American bittern: 128

Branta canadensis, Canada goose: 85, 145, 187
Bubo virginianus, great-horned owl: 145
Bubulcus ibis, cattle egret: 145
Bucorvus leadbeateri, ground hornbill: 145
Butastur rufipennis: 82
Buteo jamaicensis, red-tailed hawk: 10, 145, 254
 B. lineatus, red-shouldered hawk: 145
Calamospiza melanocorys, lark bunting: 145
Callipepla squamata, scaled quail: 145
Capella gallinago, common snipe: 145
 Capella spp., snipe: 254
Caracara cheriway, caracara: 145
Caragypus atratus, black vulture: 10, 254
Casmerodius albus, egret: 153
Cassidix mexicanus, boat-tailed grackle: 145
Cathartes aura, turkey vulture: 145, 254
Catoptrophorus semipalmatus, willet: 128
Centrocerus urophasianus, sage grouse: 18, 30
Cetropus macrourus, "pheasant coucal": 145
 C. monachus, coucal: 86
Chaetura pelagica, chimney swift: 145
Chen caerulescens, blue goose: 85, 214
 C. hyperborea, snow goose: 85
Chordeilis minor, common nighthawk: 173
Cinconia cinconia, European stork: 86
Circus assimilis, spotted harrier: 145
 C. cyaneus, marsh hawk: 145

- Colaptes auratus*, flicker: 150, 254
- Colinus virginianus*, bobwhite quail: 11, 16, 17, 93, 133, 139, 145
- Columbigallina passerina*, ground dove: 145
- Coracias caudata*, lilac-breasted roller: 141
C. cyanogaster: 82
- Contopus virens*, eastern wood peewee: 145
- Corvus bennetti*, little crow: 145
C. brachyrhynchos, common crow: 145
C. ceciliae, Australian crow: 145
C. ossifragus, fish crow: 145
- Cracticus argenteus*, silverback butcher bird: 145
C. nigrogularis, pied butcher bird: 145
C. spaldingi, black butcher bird: 145
C. torquatus, grey butcher bird: 145
- Cuncuma vocifer*, fish eagle: 86
- Cyanocitta cristata*, blue jay: 145
C. stelleri, Steller's jay: 145
- Dacelo leachii*, blue-winged kooka burra: 145
- Dendragapus obscurus*, blue goose: 154, 223
- Dendrocopos borealis*, red-cockaded woodpecker: 10, 150
D. pubescens, downy woodpecker: 10, 150
D. villosus, hairy woodpecker: 150
- Dendroica discolor*, prairie warbler: 254
D. kirtlandi, Kirtland warbler: 40, 187, 254
D. nigrescens, black-throated gray warbler: 173
D. pinus, pine warbler: 254
- Dryocopus pileatus*, pileated woodpecker: 10, 150
- Elanus notatus*, black-shouldered kite: 145
E. scriptus, letter-winged kite: 145
- Eremophila alpestris*, horned lark: 145
- Erolia alpina*, dunlin: 245
E. melanotos, pectoral sandpiper: 254

Eudocimus albus, white ibis: 153
Euphagus carolinensis, rusty blackbird: 145
Falco ardosiaceus: 82
 F. berigora, brown hawk: 145
 F. hypoleucos, grey falcon: 145
 F. longipennis, little falcon: 145
 F. macropus, peregrine falcon: 145, 188
 F. sparverius, American kestrel: 145, 153, 173, 254
 F. subniger, black falcon: 145
Francolinus francolinus natalensis: 122
 F. sephaena, crested francolin: 145
 F. squamatus, redleg: 145
Grus americana, whooping crane: 254
 G. canadensis, sandhill crane: 153, 254
Guriaca caerulea, blue grosbeak: 145
Guttera edouardi, crested guinea fowl: 145
Gymnogyps californianus, California condor: 53, 69
Hagedashia hagedash, hadeda: 145
Haliastur indus, red-backed sea eagle: 145
 H. sphenurus, whistling eagle: 145
Hesperiphona vespertina, evening grosbeak: 145
Hylocichla mustelina, wood thrush: 145
Icterus parisorum, Scott's oriole: 145
 I. spurius, orchard oriole: 145
Irdoprocne bicolor, tree swallow: 145
Junco hyemalis, slate-colored junco: 145
 J. phaeonotus, Mexican junco: 173
Kaupifalco monogrammicus: 82
Lagopus lagopus, willow ptarmigan: 154
 L. lagopus scoticus, red grouse: 83, 119, 187, 188

Lanius ludovicianus, loggerhead shrike: 139, 145
Leucophoyx thula, snowy egret: 145
Lissotis melanogaster: 82
Lophoceros erythroyynchus, red-billed hornbill: 145
 L. flavirostris, yellow-billed hornbill: 145
 L. nasutus, grey hornbill: 141, 145
Lophortyx californicus, California valley quail: 20
 L. gambelii, Gambel's quail: 145
Lyrurus tetrrix, black grouse: 188
Mareca americana, baldpate: 233
Melanerpes carolinus, red-bellied woodpecker: 150
 M. erythrocephalus, red-headed woodpecker: 10
 M. formicivorus, acorn woodpecker: 150
 M. lewisi, Lewis' woodpecker: 150
Meleagris gallopavo, wild turkey: 7, 10, 17, 85, 145, 153, 154,
 187, 252, 253, 254, 261, 313
Melospiza georgiana, swamp sparrow: 145
 M. melodia, song sparrow: 145
Micrathene whitneyi, elf owl: 173
Milvus algyptius, kite: 145
 M. affinis, fork-tailed kite: 145
 M. migrans: 82
Mimus polyglottos, mockingbird: 145
Molothrus ater, brown-headed cowbird: 145
Myiarchus cinerascens, ash-throated flycatcher: 173
Numenius americanus, long-billed curlew: 254
 N. borealis, Eskimo curlew: 254
Numida meleagris tranevaalensis, crowned guinea fowl: 104, 122
 N. mitrata, helmeted guinea fowl: 145
Olor buccinater, trumpeter swan: 247

Oporornis formosus, Kentucky warbler: 254

Otus asio, screech owl: 153, 173

Parus atricapellus, black-capped chickadee: 145
 P. bicolor, tufted titmouse: 10
 P. carolinensis, Carolina chickadee: 10

Passerculus sandwichensis, Savannah sparrow: 145

Passerella iliaca, fox sparrow: 145

Passerina cyanea, Indigo bunting: 145

Pedioecetes phasianellus, sharp-tailed grouse: 40, 88, 128

Perdix perdix perdix, Hungarian partridge: 128

Phasianus colchicus, ring-necked pheasant: 128

Philohela minor, woodcock: 145

Pica pica, Black-billed magpie: 145

Picurus adsimilis, drongo: 141

Pipilo erythrophthalmus, rufous-sided towhee: 145
 P. fuscus, brown towhee: 173

Piranga rubra, summer tanager: 145

Pluvialis apricoria, golden plover: 188, 254

Poicephalus neyeri, parrot: 86

Polioptila caerulea, blue-gray gnatcatcher: 173

Pooecetes gramineus, vesper sparrow: 145

Progne subis, purple martin: 145, 173, 253

Pterophylla camelofolia, green katydid: 145

Pternistis swainsoni swainsoni: 122

Quiscalus quiscula, common grackle: 145

Richmondia cardinalis, cardinal: 145

Sagittarius serpentorius, secretary bird: 86
Sarcorampus papa, king vulture: 145
Sayornis phoebe, eastern phoebe: 145
Sialia mexicana, western bluebird: 173, 254
S. sialis, eastern bluebird: 150, 153, 173, 254
Sitta carolinensis, white-breasted nuthatch: 145
S. carolinensis carolinensis, Florida white-breasted nuthatch: 150
S. pusilla, brown-headed nuthatch: 10, 145, 150
Squatarola squatarola, black-bellied plover: 254
Speotyto cunicularia, burrowing owl: 153
Sphenorhynchus adbimii, Abdim's stork: 86
Spinus pinus, pine siskin: 1
S. tristis, American goldfinch: 145
Spizella arborea, tree sparrow: 145
S. passerina, chipping sparrow: 145, 173
S. pusilla, field sparrow: 145, 254
Spreo superbus, superb starling: 145
Stelgidopteryx ruficollis, rough-winged swallow: 145
Stephamibyx coronatus, crowned plover: 145
Struthio camelus, cosia Ostrich: 86, 145, 216
Sturnella magna, eastern meadowlark: 145
S. neglecta, western meadowlark: 145
Sturnus vulgaris, starling: 145
Tachycineta thalassina, violet-green swallow: 173
Threskiornis aethiopicus, scared ibis: 145
Thryothorus ludovicianus, Carolina wren: 145
Toxostoma curvirostre, curve-billed thrasher: 173
T. rufum, brown thrasher: 145

Troglodytes aedon, house wren: 145

Turaco spp., Turacos: 86

Turdus migratorius, robin: 141, 173

Tympanuchus cupido attwateri, Attwater's prairie chicken: 41, 154

T. cupido cupido, prairie chicken: 41, 88, 154, 238, 253, 254,
261, 284, 298

Tyrannus tyrannus, eastern kingbird: 145

T. vociferans, Cassin's kingbird: 173

Zenaidura macroura, mourning dove: 20, 145, 254, 308

Zonotrichia albicollis, white-throated sparrow: 145

INSECTS AND SPIDERS

- Acheta* spp., common garden cricket: 145
- Acorypha johnstoni*: 82
 A. karschi: 82
- Acridoderes strenua*: 82
- Actuarias varians*: 81
- Aeliomorpha divisa*: 81
- Aeptus singularis*: 81
- Ajax junius*, giant dragonfly: 145
- Amesotropis valga*: 82
- Amphicremna scalata*: 82
- Amphiprosopia adjuncta*: 82
- Anablepia granulata*: 82
- Anaplolepis longipes*, ant: 145
- Anguina agrostis*, grass seed nematode: 12
- Antherlogna indica*: 139
- Azarea lloydi*: 82
- Bocagella acutipennis*: 82
- Brachycrotaphus buttneri*: 82
- Camponotus abdominalis floridanus*, ant: 102, 145
- Cannula gracilis*: 82
- Carydana agomena*: 82
- Catantops* spp.: 82
- Catantopsilus taeniolatus*: 82
- Chilo suppressalis*, rice stem borer: 139

Chloroxyrhopes virescens: 82
Chromotruxalis liberta: 82
Chrysobothris chryseola, flathead borer: 72
Chrysops silacea, African horse fly: 145
Coryphosima brevicornis: 82
Cyclopelta funebris: 81
Cyptocoris lundii: 81
Delegorguella phalerata: 81
Dendroctonus brevicornis, western pine beetle: 116, 296
 D. frontalis, southern pine beetle: 259
 D. monticolae, mountain pine beetle: 20
 D. ponderosae, Black Hills beetle: 167
 D. valens, red turpentine beetle: 125
 Dendroctonus spp.: 10
Deroplax nigropunctata: 81
Dichelorhinus vittatus: 81
Dictyophorus griseus: 82
Dissotera carolina, Carolina grasshopper: 139, 145
Dnopherula bifoveolata: 82
 D. obscura: 82
 Dnopherula spp.: 82
Dymantis grisea: 81
 D. plana: 81
Ennius ater: 81
 E. morio: 81
Epistaurus succineus: 82
Erythemis simplicicollis, brown dragon fly: 145
Eucoptacra anguliflava: 82
Eusarcocoris purpurissatus: 81

Exopropacris modica: 82
Eyprepocnemis plorans ibandana: 82
Faureia milanjica: 82
Gastrimargus africanus: 82
 G. ochraceus: 82
 G. procerus: 82
Gelastorhinus africanus: 82
Gellia dilatata: 81
 G. punctulata: 81
Glossina swynnertoni, tsetse fly: 207
 G. pallidepes, thicket fly: 207
Gonopsis reuteri: 81
Gymnobothrus linea-alba: 81
Halydicoris kraatzi: 81
Heteropternis thoracica: 82
Homoxyrrhepes punctipennis: 82
Hormopeza copulifera, smokefly: 145
 H. oblilirata, empid: 145
Hylobius abietis: 33
Ips confusus, California 5-spined engraver beetle: 20
 I. pini, pine engraver beetle: 259
 Ips spp.: 10
Iridomyrmex humilis, ant: 145
Lasioderma serricorne, cigarette beetle: 145
Lespes vigilax, dragonfly: 145
Leptacris kraussi: 82
 L. violacea: 82
Lobopeltista guineensis: 82

Lycosa rabida, wolf spider: 145

Machaeridia bilineata: 82

Melanophila acuminata, fire beetle: 145
 M. californica, California flathead borer: 20
 M. motata, fire bug: 145

Melanoplus femurrubrum, red-legged grasshopper: 139, 145

Menida maculiventris: 81

Merimna atrata, fire beetle: 145

Mesopsis abbreviatus: 82
 M. laticornis: 82

Metacyrba undata, salticid spider: 10

Microsania brevicornis, smokefly: 145
 M. imperfecta, smokefly: 145
 M. occidentialis, smokefly: 145
 M. pallipes, smokefly: 145
 M. pectinipennis, smokefly: 145
 M. quhesquierei, smokefly: 145
 M. stigmaticolis, smokefly: 145
 M. tonnoiri, smokefly: 145

Neophasia menapia, pine butterfly: 296

Ocnocerus diabolicus: 82

Oncozygidea flavitarsis: 81

Ornithacris spp.: 82

Orthochtha bisulcata: 82
 O. brachycnemis: 82
 O. nigricornis: 82

Oxya velox: 139

Pantala flavescens, blue dragonfly: 145

Paratrechina bourbonica, ant: 145
 P. longicornis, ant: 145

Parga cyanoptera: 82

Petamella prosternalis: 82
Phidippus otiosus, salticid spider: 10
Pheidole magacephala, ant: 145
Prosapia bicinta, two-lined spittle bug: 145
Pseudo myrmex spp., Acacia ant: 145
Rhabdoplea munda: 82
Sandehana laboisa: 81
Saprosites pygmaeus, boring beetle: 138
Schistocerca gregoria: 139
Sepidiocoris dispar: 81
 S. noualhieri: 81
Solenopsis solenopsis richteri, fire ant: 145
Spathosternum pygmaeum: 82
Stoides aurata, salticid spider: 10
Tanita breviceps: 82
Thoria gilloniae: 81
 T. rotundata: 81
Tristria discoidalis: 82
 T. marginicosta: 82
Tylotropidius didymus: 82
 T. patagratus: 82

MAMMALS

- Acinonyx jubatus*, cheetah: 145, 162
- Adenota kob thomasi*, Uganda kob: 86
- Aepyceros melampus*, impala: 86, 104, 145, 207, 216
- Alcelaphus buselaphus*, hartebeest: 86, 104, 145, 207, 216
 A. buselaphus cokei, kongoni (Coke's hartebeest): 86, 145
 A. lichtensteinii, Lichtenstein's hartebeest: 145
- Alces alces*, moose: 87, 123, 178, 187, 188, 202, 236
 A. gigas, Alaska moose: 247
- Antilocapra americana*, pronghorn antelope: 18, 202
- Aonyx capensis*, cape otter: 86
- Bibos gaurus*, gaur: 301
 B. sondaicus, banteng: 301
 B. sondaicus butleri, malay banteng: 302
 B. sondaicus lowi, bornean banteng: 302
- Bison bison*, American bison (buffalo): 308
- Boocercus eurycerus*, bongo: 86, 104
- Bos frontalis*, gayal: 302
 B. (Bibos) gaurus, gaur: 302
 B. (Bibos) sondaicus, banteng: 302
- Bulbalis bubalis*, water buffalo: 301
- Callosciurus* spp., tree squirrel: 301
- Canis adustus*, side-striped jackal: 162
 C. latrans, coyote: 285
 C. lupus, wolf: 88
 C. mesomelas, jackal: 86, 104
- Castor canadensis*, beaver: 154
- Cephalophus* spp., duiker: 145
 C. harveyi, Harvey's red duiker: 86
 C. silvicultur, yellow-backed duiker: 86, 104

Cercopithecus mitis, monkey: 86
Cervus canadensis, elk: 7, 90, 123, 154, 178, 187, 202, 253
 C. elaphus, red deer: 188
 C. eldi, Eld's deer: 301
Citellus spp., ground squirrel: 53
 C. pygmaeus, Eurasian ground squirrel: 91
Colobus polykomos, black and white colobus monkey: 145, 216
Connochaetes taurinus, wildebeest: 104, 145, 207
Crocuta crocuta, spotted hyena: 86, 162, 207
Dactylomys spp., bamboo rat: 91
Dama mesopotamica: 199
Damaliscus korrigum, topi: 86, 207
 D. lunatus, tsessebe: 9
Diceros bicornis, black rhinoceros: 86, 145, 216
 D. simus, white rhinoceros: 145
 Diceros spp., rhinoceros: 104
Equus burchelli, Burchell's zebra: 86, 104, 145, 216
 E. burchelli crawshayi, Crawshayi's zebra: 162
 Equus spp., zebra: 207
Euarctos americanus perniger, black bear: 247
Galago crossicaudatus, great galago: 86
Gazella granti, Grant's gazelle: 86, 104, 216
 G. thomsoni, Thompson's gazelle: 86, 207, 216
 Gazella spp., gazelle: 145
Giraffa camelopardalis, common giraffe: 86, 104, 145, 283
 G. camelopardalis tippelskirchi, narai giraffe: 145
 Giraffa spp., giraffe: 216
Hippopotamus amphibius, hippopotamus: 86, 104, 145, 207
Hippotragus equinus, roan antelope: 145
 H. niger, sable antelope: 145, 216
Hystrix galeata, porcupine: 86, 104

Kobus defassa, waterbuck: 86, 104, 216

Lagurus lagurus, Eurasian ground squirrel: 91

Lepus americanus, snowshoe hare: 68

L. americanus americanus, varying hare: 114, 145

L. americanus dalli, snowshoe hare: 247

L. saxtilis micklei, hare: 68

L. timidus, mountain hare: 188

Litocranius walleri, gerenuk: 86

Loxodonta africana, African elephant: 9, 104, 145, 154, 207, 216,
283, 298

Lycaon pictus, wild dog: 86, 162

Lynx canadensis, lynx: 88

Menetes berdmorei, palm squirrel: 301

Microtus (Phaeomys) brandti, vole: 91

Mungos mungos, mongoose: 86

Muntiacus muntjak vaginalis, barking (muntjak) deer: 301

Mus musculus: 206

Mustela spp., mink: 285

Myocaster coypus, nutria: 214

Novibos sauveli, kouprey (wildox): 301

N. sauveli = *bos (Bibos) sauveli*, kouprey: 302

Nycticeius humeralis, evening bat: 10

Odocoileus columbianus, black-tailed deer: 90

O. hemionus, mule deer: 90, 178, 187, 202, 308

O. virginianus, white-tailed deer: 128, 132, 153, 154, 178, 187,
202, 261, 284, 308

O. virginianus virginianus, Virginia deer: 145

Odocoileus spp., deer: 7, 31, 90, 102

Ondatra zibethica, muskrat: 85, 154, 214, 295

O. zibethica rivaliculus, Louisiana muskrat: 214

Oreamnos americanus, mountain goat: 123, 178, 202
O. kennedyi, mountain goat: 247
Oreotragus oreotragus, klipspringer: 86
Orycteropus afer, antbear: 86
Oryx beisa, oryx: 86
Otocyon magalotis, bat-eared fox: 86
Ovis canadensis, bighorn sheep: 202
O. dalli kenaiensis, dall sheep: 247
Ozanna grandicornis grandicornis, sable antelope: 104, 122
Panthera leo, lion: 86, 162, 207, 216
P. pardus, leopard: 86, 162, 216
Papio anubis, anubis baboon: 86
P. cynocephalus, yellow baboon: 145
P. ursinus, chacma baboon: 145
Paraxerus ochraceus, squirrel: 86
Pedestes cafer cafer, springhare: 104, 122
Peromyscus gossypinus, cotton mouse: 137
P. maniculatus gracilis, deer mouse: 1
P. nuttalli, golden mouse: 137
P. poleonotus poleonotus, old-field mouse: 139, 206
Peromyscus spp., mice: 1, 20, 91
Phacochoerus aethiopicus, warthog: 86, 104, 145, 216
Phenacomys spp., tree mouse: 91
Rangifer arcticus stonei, stone caribou: 247
R. caribou, woodland caribou: 154
R. tarandus, reindeer: 188
R. tarandus groelandicus, barren-ground caribou: 236
Raphicerus capricornis capricornis, steinbok: 104, 122, 145
Redunca arundinum, reedbuck: 162
R. redunca, reedbuck: 86
Reithrodontomys humulis: 206

Rhynchotragus kirkii, dikdik: 86, 104, 216

Sciurus niger, fox squirrel: 313

Sigmodon hispidus, cotton rat: 91, 137, 139, 206
 S. hispidus komareki, cotton rat: 145

Sylvicapra grimmia, duiker: 162
 S. grimmia grimmia, duiker: 122, 216

Sylvilagus floridanus, cottontail rabbit: 53, 145, 153
 S. floridanus floridanus, cottontail rabbit: 145
 S. palustris palustris, marsh rabbit: 145

Syncerus caffer, African buffalo: 86, 104, 145, 216

Tamiasciurus douglasii, Sierra chickaree: 94
 T. hudsonicus, red squirrel: 68

Tarsier carbonarius, Phillippine tarsier: 141, 145

Taurotragus oryx, eland: 9, 86, 104, 145, 216
 T. oryx livingstonei, eland: 162

Thomomys talpoides, western pocket gopher: 308
 T. umbrinus, pocket gopher: 129

Tragelaphus imberbis, lesser kudu: 86, 104, 216
 T. scriptus, bushbuck: 86, 216
 T. strepsiceros, greater kudu: 145, 216

Tringa nebularia, greenshank: 188

Tupaia spp., tree shrew: 301

Urocyon cinereorargenteus, gray fox: 10, 285

Ursus americanus, black bear: 123, 154, 247
 U. horribilis, grizzly bear: 123
 U. kenaiensis, brown bear: 247

PATHOGENS

- Arceuthobium americanum*, dwarf mistletoe: 304
 A. campylopodum, dwarf mistletoe: 304
 A. douglasii, dwarf mistletoe: 304
 A. laricis, dwarf mistletoe: 304
 A. tsugense, dwarf mistletoe: 304
 Arceuthobium spp., dwarf mistletoe: 92, 304
- Armillaria mellea*, root rot: 194, 260
- Botrytis gemella*, mold: 212
- Ceratostomella ulmi*, Dutch elm disease: 92
- Claviceps purpurea*, ergot: 92
- Cronartium comandrae*, comandra rust: 92
 C. fusiforme, fusiform rust: 92
- Elytroderma* spp., needle disease: 92
- Erwinia carnegieana*, bacterial necrosis: 260
- Fasciola hepatica*, parasitic infection: 302
- Fomes annosus*, root rot: 22, 203, 212, 213
 Fomes spp.: 72, 286
- Fusarium lateritium*, stem pathogen: 212
 F. tricinctum: 92
- Ganoderma lucidum*, root disease: 138
 Ganoderma spp.: 72
- Gloeotinia temulenta*, blindseed disease: 92
- Paramphistomum cervi*, parasitic infection: 302
- Penicillium expansum*: 212
- Peridermium harknessii*, rust: 212
- Phacidium infestans*, phacidium blight: 33
- Pholiota adiposa*: 212
- Phoradendron* spp., mistletoe: 92

Phytophthora spp., bud rot disease: 138

Pithomyces chartarum: 92

Puccinia poal-nemoralis, leaf rust: 92
 P. striiformis, stripe rust: 92

Rhizina undulata, root rot: 40, 92, 274

Rhizoctonia solani, damping-off disease: 212

Rhytisma andromedae, tar spot disease: 56

Scirrhia acicola, brown spot needle blight: 92, 313

Scolecotrichum grammis: 139

Teletia caries, cereal smut: 212
 T. foetida, cereal smut: 212

Thanatephorus cucumeris: 212

Trichosporium symbioticum: 212

Uromyces phaseoli: 212

Verticicladiella wagenerii: 212

PLANTS

- Abies amabilis*, Pacific silver fir: 113
- A. balsamea*, balsam fir: 40, 256
 - A. cephalonica*: 160
 - A. cilicica*: 160
 - A. concolor*, white fir: 20, 21, 27, 29, 90, 116, 118, 125, 198, 258
 - A. fraseri*, fraser fir: 12
 - A. grandis*, grand fir: 89, 90, 113, 157, 208, 239, 259, 260, 296, 304
 - A. lasiocarpa*, subalpine fir: 38, 44, 74, 89, 123, 127, 157, 166, 171, 178, 237, 239, 304
 - A. magnifica*, red fir: 27, 29, 127, 258
 - A. maroccana*: 160
 - A. nebrodensis*: 160
 - A. numidica*: 160
 - A. pindrow*, silverfir: 302
 - A. pinsapo*: 160
- Acacia albida*, mokosho: 111, 277
- A. aneura*, mulga: 218
 - A. constricta*, whitethorn: 110
 - A. farnesiana*: 5, 32
 - A. fleckii*, mhahu: 9, 277
 - A. gerrardii*, mokgwelergwele: 122, 207, 277
 - A. giraffae*, mogatho: 9, 277
 - A. heterophylla*: 287
 - A. hockii*: 277
 - A. karoo*: 122, 216
 - A. kirkii*: 86
 - A. koa*, koa: 287
 - A. leprosa*: 45
 - A. luederitzii*: 9
 - A. melanoxylon*, Tasmanian blackwood: 287
 - A. mellifera*, mongana: 86, 122, 277
 - A. myrtifolia*: 45
 - A. nigrescens*, mokaba: 122, 277, 279
 - A. nilotica*, mokhi: 122, 277
 - A. nubica*: 86
 - A. polyacantha*: 277
 - A. raddiana*: 160
 - A. rehmanniana*: 122
 - A. rigidula*: 5, 32
 - A. seyal*: 277
 - A. sieberana*, whitethorn: 235, 277, 303
 - A. simplicifolia*: 287

A. stricta: 45
A. tortilis, mosu: 9, 216, 277
A. vernicosa, whitethorn: 110
A. xanthophloea: 86
Acacia spp.: 302

Acalypha gracilens: 289

Acanthocerus floridanus, dildo: 132

Acer circinatum, vine maple: 189
A. glabrum, mountain maple: 87, 89, 123, 157, 171, 178, 202, 208
A. monspessulanum: 160
A. negundo, box elder: 233
A. obtusatum: 160
A. pseudoplatanus: 273
A. rubrum, red maple: 12, 24, 58, 65, 165, 168, 202, 203, 256, 267, 284
A. saccharum, sugar maple: 12, 260, 306
Acer spp.: 80, 90

Achillea lanulosa, western yarrow: 128
A. millefolium, western yarrow: 6, 89, 130, 139, 171, 288

Achyroopsis greenwayi: 86

Acocynum androsaemifolium: 288

Acroceras macrum, Nile grass: 277

Acrocomia spp., palm: 35

Adansonia spp.: 111

Adenocaulon bicolor, trail plant: 94

Adenostoma fasciculatum, chamise: 20, 37, 51, 70, 102, 197, 258

Adiantum pedatum: 89

Aeschynomene oligaphylla, phunga: 161

Aesculus octandra, yellow buckeye: 12

Agalinis fasciculata: 289

- Agave decipens*, century plant: 132
A. deserti: 285
A. lechuguilla, lechuguilla: 129
A. parryi, parry agave: 289
A. utahensis: 285
A. virginica, rattlesnake-master: 289
- Agrimonia microcarpa*: 289
- Agropyron glaucum*: 139
A. repens, quackgrass: 6, 128, 288
A. smithi, western wheatgrass: 80, 156
A. spicatum, bluebunch wheatgrass: 89, 116, 268, 297
A. subsecundum, bearded wheatgrass: 128
A. trachycaulum, slender wheatgrass: 128, 233, 288
Agropyron spp., wheatgrass: 80
- Agrostis alba*, redtop: 6, 171, 203, 300
A. canina, velvet bentgrass: 92
A. eriantha: 235
A. hiemalis (*hyemalis*), winter bentgrass: 41, 65, 203, 288, 289
A. palustris, creeping bentgrass: 92
A. tenuis, highland bentgrass: 92
- Aichryson dichotomum*: 139
- Albizia anthelmintica*, monoga: 277
A. coriaria: 303
A. gummifera: 86
A. harveyi, mmola: 277
A. julibrissin: 24
A. versicolor: 277
Albizia spp.: 302
- Alectoria nigricans*, lichen: 46
Alectoria spp., black lichen: 46
- Aletris aurea*: 289
- Aleuites moluccana*, kukii: 287
- Allium microscordion*: 289
A. schoenoprasum: 139, 270
A. vineale, wild onion: 206
- Alloteropsis semi-alta*: 235, 298

- Alnus crispa*, green alder: 68, 243, 247
 A. rugosa, alder: 68
 A. sinuata, Sitka alder: 74, 171, 178, 268

Aloe chortliriodes: 298
 Aloe spp.: 86

Alternanthera philoxeroides, alligator grass: 214

Alyssum spinosum: 160

Amaranthus spp., common pigweed: 307

Ambrosia artemisiifolia, ragweed: 6, 206, 289
 A. psilostachya, western ragweed: 41, 114, 128, 156, 307
 A. trifida, giant ragweed: 114

Amelanchier alnifolia, serviceberry: 87, 89, 157, 171, 178, 208, 247, 268, 297
 A. arborea, shadbush, juneberry: 289
 A. ovalis: 160
 Amelanchier spp.: 203, 243, 256, 284, 288

Amorpha canescens, leadplant: 80, 233
 A. fruticosa, indigobush: 289

Ampelodesma mauritanicus: 160

Amphicarpa bracteata, hog-peanut: 65, 289

Amphicarpum muhlenbergianum, perennial gobergrass: 106

Anacardium exelsum: 35

Anaphalis margaritaceae: 171, 189

Andromeda glaucophylla, bog rosemary: 284

Andropogon amplexans: 235, 279
 A. annulatus: 302
 A. cabonisii, fire grass: 132, 227
 A. canaliculatus: 298
 A. distachium: 199
 A. distachyon: 164
 A. distachyus: 199
 A. divergens, Pinchill bluestem: 105
 A. elliotii: 289
 A. filifolius: 235
 A. gayanus: 277

- A. gerardi*, big bluestem: 4, 5, 6, 51, 65, 80, 112, 128, 156, 159
 199, 233, 244, 284, 288, 289, 300
A. glomeratus: 227, 287
A. hallii, sand bluestem: 114, 233
A. hirtiflorus: 289
A. ischaemum: 164
A. macrophyllus: 82
A. saccharoides, silver bluestem: 32
A. schirensis: 122
A. scoparius, little bluestem: 22, 41, 65, 80, 105, 112, 128, 159
 182, 203, 233, 243, 288, 289, 300
A. tener, slender bluestem: 105, 161, 289
A. ternarius: 289
A. virginicus, broomsedge: 58, 65, 139, 145, 289
Andropogon spp.: 132, 253

Anemone canadensis, meadow anemone: 128
A. cylindrica, candle anemone: 128
A. patens, spreading pasque flower: 128
A. quinquefolia: 288
Anemone spp., anemone: 80

Angelica silvestris: 139

Annona glabra, pond apple: 132

Anogeissus latifolia: 302

Antennaria neglecta: 288
A. plantaginifolia, pussy's toes: 65, 289

Anthraenantia villosa: 289

Anthepphora pubescens: 277

Antirrhinum vexillo-calyculatum: 258

Apeiba aspera: 35

Aphyllanthes monspeliensis: 160, 270

Apios priceama: 65

Aplopappus laricifolius, larch leaf goldenrod: 39
A. tenuisectus, burrow weed: 39

Apocynum androsaemifolium, dogbane: 171, 208, 268, 288

- Aralia nudicaulis*: 171, 256
A. spinosa: 24
- Arbutus andrachne*: 160, 199
A. pavarii: 160
A. unedo: 160
A. xalapensis: 173
- Arctostaphylos alpina*, alpine bearberry: 46
A. patula: 125, 258
A. uva-ursi, bearberry: 68, 74, 189, 203, 256, 268, 288
A. viscida, whiteleaf manzanita: 22
Arctostaphylos spp.: 20, 37, 197
- Arenaria lanuginosa*: 287
A. pungens: 160
- Argania spinosa*: 160
- Argyroxiphium sandwicense*, silversword: 287
- Aristella bromides*: 164
- Aristida adensionis*, sixweeks threeawn: 39
A. barbicollis: 122
A. congesta: 122
A. dichotomia: 65
A. glabrata, Santa Rita threeawn: 39
A. hamulosa, tall threeawn: 39
A. junciformis: 235, 277
A. lanosa: 289
A. longiseta, threeawn: 32
A. meridionalis: 122
A. pilgeri: 122
A. purpurascens: 289
A. purpurea: 65
A. scabrivalvis: 122
A. stipitata: 277
A. stricta, pineland threeawn: 105, 161, 289
A. ternipes, spidergrass: 39
A. vinosa: 122
A. virgata: 289
Aristida spp.: 129, 135, 156, 186, 216, 235, 252, 253
- Aristolochia pistolochia*: 270
- Aristotelia maqui*, maqui: 305

Arnica cordifolia, arnica: 90, 171
 A. latifolia: 171

Armeria alliacea: 160
 A. plantaginea: 160

Arrhenatherum elatius: 270

Artemisia arbuscula, low sagebrush: 18, 130
 A. filifolia, sandsage: 114, 233
 A. frigida, fringed sagewort: 128
 A. gnaphalodes, cudweed sagewort: 80
 A. herba alba, white sage: 128
 A. ludoviciana, pasture sage: 128
 A. nova, black sage: 130
 A. tridentata, big sagebrush: 18, 84, 90, 116, 130, 166
 A. tridentata tridentata, basin big sagebrush: 18
 A. tridentata vaseyana, mountain big sagebrush: 18
 Artemisia spp., sagebrush: 64, 102, 237

Artotarpus spp., khlong: 301

Artemisietum vulgaris: 273

Arundinaria ciliata, preek: 301
 A. gigantea, giant cane: 289
 A. tecta, switch cane: 105, 109, 289

Asarum caudatum: 89

Asclepias amplexicaulis, milkweed: 289
 A. humistrata: 289
 A. tuberosa, butterfly weed: 289
 A. variegata: 289
 A. verticillata: 6, 289

Ascyrum hypericoides, St. Andrew's cross: 65, 289
 A. pumilum: 289

Asparagus acutifolius: 160, 270
 A. aphyllus: 199

Asperula cynanchica: 270

Asphodelus cerasifer: 270
 A. microcarpus: 160

Aster adnatus: 289
 A. azureus: 288
 A. brachiactis: 295
 A. ciliolatus: 288
 A. concolor: 289
 A. conspicuus: 171
 A. dumosus: 65, 289
 A. engelmannii: 171
 A. ericoides, heath aster: 128
 A. hemisphericus: 65
 A. lateriflorus: 289
 A. linariifolius: 203
 A. macrophyllus: 288
 A. patens: 65
 A. pilosus, white aster: 6, 206, 289
 A. sagittifolius: 288, 289
 A. sericeus: 65
 A. undulatus: 65
 Aster spp., aster: 80

Astragalus congdonii: 258
 A. intonsus, milk-vetch: 289

Astroloma spp.: 45

Atherosperma muschatum, sassafras: 287

Athyrium filixfemina: 89

Aureolaria flava: 289
 A. virginica: 289

Avena bromoides: 270
 A. fatua, wild oats: 36
 A. sterilis: 199

Avicennia nitida, black mangrove: 132, 227

Axonopus compressus, carpetgrass: 105, 289

Baikiaea plurijuga, Rhodesiantek: 9, 298

Balanites aegyptiaca: 86, 303

Baldvina uniflora: 289

Balsamorhiza sagittata, balsamroot arrowleaf: 89, 268, 296

- Bambusa arundinacea*, giant bamboo: 302
- Baptisia alba*, false-indigo: 289
 B. lanceolata: 289
 B. leucantha: 289
 B. leucophaea, plains wild indigo: 5
 B. tinctoria, wild indigo: 203
- Bassia latifolia*, mahow: 302
- Batis maritima*: 132
- Bauhinia macrantha*, mokoshi: 277
- Berberis aquifolium*, Oregon grape: 257
 B. darwini: 305
 B. hispanica: 160
 B. nervosa: 189
 B. repens, Oregon grape: 87, 89, 171
 B. trifoliolata: 32
- Berchemia discolor*, motsintsila: 277
- Berlandiera pumila*, greeneyes: 289
- Betula alleghaniesis*, yellow birch: 12
 B. glandullosa, ground birch: 46, 68
 B. lenta, black birch: 203, 306
 B. lutea, yellow birch: 306
 B. nana exilis, dwarf arctic birch: 247
 B. occidentalis, water birch: 80
 B. papyrifera, white birch: 40, 68, 80, 171, 189, 227, 236, 284
 B. papyrifera commutata, paper birch: 157
 B. populifolia, gray birch: 256
 B. pubescens: 274
 B. pumila, bog birch: 284
 B. verrucosa: 274
 Betula spp., birch: 86, 279
- Bidens bipinnata*, Spanish needles: 289
 B. mitis: 58
- Biscutella laevigata*: 270
- Boltonia diffusa*: 289
- Borassus aethiopum*, borassus palm: 81, 283, 303
 Borassus spp., palm: 216, 301

Borrichia frutescens, sea ox-eye: 132
Boscia albitrunca, motlope: 277
Bothriochloa insculpta: 122, 279
Bouteloua aristidoides, needle grama: 39
 B. curtipendula, side-oats grama: 39, 80, 129, 300, 156, 244, 311
 B. eriopoda, black grama: 39
 B. gracilis, blue grama: 80, 128, 139, 156, 244
 B. hirsuta, hairy grama: 39, 80, 244
 B. pectinata, tall grama: 311
 B. rothrocki, Rothrock grama: 39
 Bouteloua spp., grama grass: 233
Bowditchia virgilioides: 25, 35
Brachiaria brizantha: 298
 B. eruciformis: 122
 B. humidicola: 122
 B. nigropedata: 122, 277
 B. serrata: 235
 Brachiaria spp.: 302
Brachypodium phoenicoides: 106, 270
 B. ramosum: 160, 270
Brachystegia boehmii: 298
 B. speciformis: 298
Brackenridgea arenaria: 298
Briza maxima: 160
Bromus erectus: 270
 B. inermis, smoothbrome: 51, 128
 B. japonicus, Japanese brome: 80, 156
 B. kalmi: 288
 B. madritensis: 270
 B. mollis, blando brome: 37
 B. tectorum, cheatgrass: 116, 297
 Bromus spp., brome grass: 22
Brunella vulgaris: 160
Buchloe dactyloides, buffalograss: 246
Buchnera floridana, blueheart: 289

Buddleia salvifolia: 235
Bulbostylis ciliatifolia: 289
Bumelia celastrima, bumelia: 132
 B. lanuginosa, gum bumelia: 24
Bupleurum rigidum: 270
 B. spinosum: 160
Burkea africana, monato: 122, 277
Bursera simaruba, gumbo limbo: 132
Bussea massaiensis: 216
Butyrospermum spp.: 111
Byrsonima crassifolia, nancite: 25, 35, 196
Calamagrostis rubescens, pinegrass: 22, 74, 89, 90, 131, 139, 171, 268,
 296, 297, 304
Calamovilfa longifolia, prairie sandseed: 80, 128, 233
Calliandra eriophylla, velvet mesquite: 39, 110
Callicarpa americana: 24
Callirhoe involucrata, winecup: 41
Calluna vulgaris, heather: 83, 119, 120, 188, 274, 275
Calochortus apiculatus: 171
 C. macrocarpus, sego lily: 130
Calonyction tuba, moonflower vine: 132
Calophyllum brasiliense, Santa Maria: 196
Calycotome villosa: 160, 199
Campanula rotundifolia, bluebell bellflower: 80, 288
Caraipa llanorum: 25
Carapa guianensis, cedro macho: 196

Carex aenea: 243

C. albolutescens: 289

C. concinnoides: 171

C. debilis, slender stalked sedge: 288

C. digitalis: 289

C. geyeri, elk sedge: 89, 90

C. glaucescens: 289

C. halleriana: 160, 270

C. humilis: 270

C. hyalinolepis: 58

C. longii: 289

C. pennsylvanica: 203

C. rossii, Ross sedge: 171, 268

C. striatula: 289

C. styloflexa: 289

C. verrucosa: 289

Carex spp., sedge: 68, 74, 80, 125, 128, 187, 189, 238, 243,
284, 288

Carissa edulis: 122

Carnegiea gigantea, giant cactus: 110

Carpinus caroliniana, American hornbeam: 24

Carya cordiformis, butternut: 306

C. glabra, pignut hickory: 12, 24, 203, 306

C. ovata, shagbark hickory: 203

C. tomentosa, mockernut hickory: 12, 65, 175, 213, 289

Carya spp., hickory: 24, 267, 269

Cassia fasciculata, partridge pea: 65, 175, 213, 289

C. nictitans, sensitive plant: 65, 175, 289

C. petersiana: 279

C. siberiana: 303

C. tora: 289

Cassiope tetragona, arctic white heather: 46

Castanea dentata, American chestnut: 12, 306

C. sativa: 160

Casuarina equisetifolia, Australian pine: 132

Catananche montana: 160

Ceanothus americanus, New Jersey tea: 65, 288, 289
 C. cuneatus, buckbrush, wedgeleaf: 20, 37, 208
 C. greggii, desert ceanothus: 129
 C. integerrimus, deerbrush: 125, 208
 C. megacarpus: 258
 C. microphyllus: 289
 C. ovatus: 288
 C. parvifolius: 94, 125
 C. sanguineus, redstem ceanothus: 157, 171, 178, 187, 202, 208
 C. velutinus, snowbrush ceanothus: 22, 27, 171, 178, 202, 208, 259, 268
 Ceanothus spp.: 287

Cecropia spp., guarumo: 196

Cedrus brevifolia: 160
 C. libanotica: 160

Celsia insularis: 139

Celtis laevigata, sugar berry: 24
 C. occidentalis, hackberry: 233
 C. pallida, bush hackberry: 39, 110

Cenchrus ciliaris, mosekangwetsi: 216, 277
 C. echinatus, sandbur: 289

Centaurea pectinata: 270

Centrosema virginianum, butterfly pea: 289

Cephalanthus occidentalis: 58

Cephalaria leucantha: 270

Cerastium arvense, prairie chickweed: 128
 C. vulgatum, chickweed: 128

Ceratonia siliqua: 160, 199

Ceratophyllum demersum, coontail: 233

Cercis canadensis, eastern redbud: 24
 C. siliquastrum: 199

Cercidium microphyllum, Palo verde: 110

- Cercocarpus breviflorus*, hairy mountain mahogany: 129
C. ledifolius, mountain mahogany: 129
- Cereus giganteus*, saguaro cactus: 260
- Cerodendron* spp.: 302
- Chamaebatia foliolosa*, bear clover: 22, 125
- Chamaecyparis thyoides*, Atlantic white cedar: 165
- Chamaedaphne calyculata*, leatherleaf: 165, 256, 284
- Chamaerops humilis*: 160
- Cheirolepis pis muensteri*: 147, 148
- Chenopodium album*: 258
C. ambrosioides: 289
C. leptophyllum, narrowleaf goosefoot: 80, 307
- Chimaphila maculata*, spotted wintergreen: 203
C. umbellata, prince's pine: 189, 268
- Chloris gayana*, Rhodes grass: 277, 303
C. roxburghiana: 242
C. virgata: 122
- Chrysopogon aciculatus*: 302
- Chrysopsis gossypina*, golden aster: 289
C. graminifolia: 289
C. mariana: 65, 289
C. nervosa: 289
- Chrysobalanus icaco*, coco-plum: 132
- Cibotium* spp., hapii: 287
- Cimicifuga racemosa*, black cohosh: 306
- Cinnamonum caphora*: 24
- Circaea alpina*: 89
- Cirsium acarna*: 270
C. canadensis, Canada thistle: 128
C. flodmani, Flodman thistle: 128
C. horridulum, yellow thistle: 289

Cistus albidus: 160
 C. crispus: 160
 C. ladaniferus: 160
 C. laurifolius: 160
 C. libanotis: 160
 C. monspeliensis: 160, 270
 C. parvifolius: 160
 C. populifolius: 160
 C. salvifolius: 160, 199, 270
 C. sericeus: 160
 C. villosus: 160, 199

Cladium jamaicense, sawgrass: 132

Cladonia alpestris, reindeer lichen: 236, 274
 C. mitis, reindeer lichen: 236
 C. rangiferina, reindeer lichen: 236, 274
 C. silvatica: 274
 Cladonia spp.: 256

Claytonia lanceolata: 171

Clematis columbiana: 171
 C. flammula: 270

Clerodendrum lanceolatum, lagonyana: 277

Clethra alnifolia, poor-man's soap: 58

Cliffortia linearifolia: 271
 C. paucistaminea: 271

Clintonia uniflora: 89, 171, 189, 239

Clitoria mariana, butterfly pea: 65, 289

Cnidoscolus stimulosus, tread softly: 289

Cocas nucifera, malayan coconut palm: 259, 260

Coccoloba diversifolia, dove plum: 132

Cochlospermum finclorium: 207

Cola gigantea: 303

Coleogyne ramosissima, desert blackbush: 285

- Coleus esculentis*, tsenza: 298
- Collomia heterophylla*: 189
- Colophospermum mopane*, mopane bush: 104, 122, 145, 277, 279
- Colutea arborescens*: 160
- Comandra richardsiana*: 288
- Combretum apiculatum*, mohudriri: 277, 279
- C. aculeatum*: 303
 - C. gardenia*: 207
 - C. ghasalense*: 277
 - C. hereroense*, mokah: 9, 122, 277
 - C. imberbe*, motswere: 9, 277
 - C. molle*, moduba: 86, 277
 - C. platypetalum oatesii*: 298
 - Combretum* spp.: 216
- Commelina angustifolia*: 289
- C. erecta*, erect day flower: 114
 - C. virginica*, Virginia day flower: 307
- Commiphora fischeri*: 216
- C. mollis*, seroka: 9, 277
 - C. pyracanthoides*: 277
- Comptonia peregrina*, sweet fern: 203, 243
- Condalia obovata*: 32
- C. obtusifolia*, lote bush: 32, 310
- Conocarpus erectus*, buttonwood: 132
- Convolvulus cantabricus*: 270
- C. obtusifolia*, lote bush: 32, 310
 - C. sepium*: 65
 - C. spithameus*: 288
- Conyza canadensis*: 289
- Copaifera officinalis*: 25
- Copernicia tectorum*: 25, 35
- Coptis occidentalis*: 89
- Corallorhiza maculata*: 125
- C. mertensiana*: 189

Corema conradi, broom crowberry: 256
Coreopsis lanceolata: 289
 C. major: 65, 289
 C. nadata: 289
 C. tripteris: 65
Cornus canadensis: 14
 C. drummondii, roughleaf dogwood: 244
 C. florida, flowering dogwood: 24, 168, 202
 C. nuttalli, Pacific dogwood: 208
 C. stolonifera, red oiser dogwood: 80, 87, 208
 Cornus spp., dogwood: 153, 268
Coronilla emerus: 160
Corozo oleifera, palm: 35
Corydalis sempervirens, corydalis: 236
Corylus americana, American hazelnut: 112, 288, 306
 C. cornuta, beaked hazel: 284
 Corylus spp.: 284
Courbonia glauca: 207
 C. edulis: 216
Crataegus azarolus: 160
 C. uniflora, dwarfthorn: 24, 289
 Crataegus spp., hawthorn: 87, 306
Crateva adonsonii: 303
Crepis pulchra: 270
 C. taraxacifolia: 270
Croix lachryma, Job's tears: 302
Crotalaria elliptica: 65
 C. ovalis: 289
 C. purshii: 289
 C. spectabilis: 289
 Crotalaria spp.: 279
Croton argyranthemus: 289
 C. glandulosa septentrionalis: 289
 C. texensis, Texas croton: 114

Cryptantha affinis: 94

Ctenium aromaticum, toothache grass: 105, 289

Cunoglossum lanceolatum: 139

Cupressus atlantica: 160

C. dupreziana: 160

C. forbesii, tecate cypress: 285

C. nevadensis, piute cypress: 285

C. savgenti, Sargent cypress: 285

C. sempervirens: 160

C. stephensonii, cuyamaca cypress: 285

Cupressus spp., southern California cypress: 285

Curatella Americana, lengua de vaca: 25, 35, 196

Cuscuta campestris: 289

Cycas revoluta, cycad: 301

Cymbopogon excavatus, turpentine grass: 122, 277

C. plurinodis: 122

Cymbopogon spp.: 235

Cynodon dactylon, Bermuda grass: 86, 92, 122, 206, 207, 277, 279

C. plecostachyus: 216

Cynodon spp., coastal Bermuda grass: 139

Cynometra alexandri: 303

Cynosurus polybracteatus: 160

Cyperus ansicaepitosus: 289

C. articulatus: 277

C. compressus: 289

C. densicaepitosus: 289

C. esculentus: 277

C. filiculmis: 289

C. globulosus: 289

C. haspan: 289

C. papyrus: 277

C. plukenettii: 289

C. pseudovegetus: 289

C. retrifRACTus: 289

C. retrorsus: 289

C. rotundus: 289

C. strigosus: 289

Cyperus spp., nut sedge: 206

Cyrilla racemiflora, titi: 58, 186
Cyrtanthus breviflorus: 298
Cytisus balansae: 160
 C. canariensis, Canary Island brome: 45
 C. purgans: 160
 C. triflorus: 160
Dactylis glomerata, orchard grass: 92, 164, 268
Dalbergia melanoxylon: 216
Dalea spp., daleas: 129
Danthonia californica: 129
 D. compressa: 12
 D. pallidus: 45
 D. semiannularis, wallaby grass: 45
 D. sericea, oat grass: 45
 D. spicata: 243, 288
Daphne gnidium: 160, 270
 D. laureola: 160
Dasyilirion leiophyllum, smooth sotol: 129
Decodon verticillatus: 58
Dendrocalamus strictus: 302
Deschampsia caespitosa: 97
 D. flexuosa: 83, 274
 D. nubigena: 287
Desmodium canescens, tick trefoil: 289
 D. ciliare: 65, 289
 D. laevigatum: 289
 D. lineatum: 289
 D. marilandicum: 65
 D. nudiflorum: 289
 D. paniculatum: 289
 D. paniculatum dillenii: 65, 289
 D. tortuosum: 289
 D. viridiflorum: 65, 289
 Desmodium spp., beggarweed: 175
Dialium guianense, comenegro: 196

Dianthus balbisii: 160
 D. caryophyllus: 160

Dicerandra linearifolia: 289

Dichanthium papillosum: 172

Dichapetalum cymosum: 298

Dichrostachys cinerea, moselesele: 277, 279
 D. cinerea nyassana: 279
 D. glomerata: 216

Dicksonia antarctica, Tasmanian tree fern: 287

Dicranopteris linearis, staghorn fern: 287
 D. linearis=*Gleichenia linearis*, false staghorn fern: 287

Diervilla lonicera: 288

Digitaria eriantha, moseka: 277, 279
 D. longiflora: 279
 D. milanjiniana, namole: 216, 242, 277
 D. monodactyla: 235
 D. pentzii: 122
 D. sanguinalis: 65, 289
 D. setifolia: 235
 D. ternata: 122
 D. tricholaenoides: 235

Diheteropogon amplexans: 122

Dillenia hookeri, plubaat: 301

Dimorphoteca pluvialis: 139

Diodia teres: 289

Diospyros abyssinica: 86
 D. mespiliiformis: 9
 D. sericea: 122
 D. texana: 32
 D. virginiana, common persimmon: 24

Dipholis salicifolia, willow bustic: 132

Diplorhynchus condylocarpon, molya: 277

Dipterocarpus intricatus, tabeng: 301, 310
 D. obtusifolius, tabeng: 301
 D. tuberculatus, khlong: 301, 302

Disporum hookeri: 125, 171

Distichlis spicata, salt grass: 132

Dombeya rotundifolia: 277

Dorycnium suffruticosum: 160, 270

Dracocephalum parviflorum: 171

Draperia systyla: 125

Dryas integrifolia, mountain avens: 46

Dulichium arundinaceum: 58

Dyschoriste oblongifolia: 289

Echinacea angustifolia, blacksamson echinacea: 80

Echinochloa pyramidalis: 216, 277
 E. stagnina: 277

Echium pustulatum: 270

Eichornia crassipes, water hyacinth: 214

Elaeagnus argentea, silverberry: 128
 E. commutata, silverberry: 87

Eleocharis cellulose, spike rush: 132, 214
 E. microcarpa: 289
 E. obtusa: 289
 E. tenuis verrucosa: 65
 E. tricostata: 289
 E. tuberculosa: 289

Elephantopus elatus: 289
 E. tomentosus: 289

Elephantorrhiza elephantina, mositsane: 277

- Elymus arenarius mollis*, ryegrass: 46
 E. triticoides, creeping wild rye: 22
 E. virginicus, wild rye: 289
 Elymus spp., wild rye: 18, 139
- Elyonurus argenteus*: 216, 235, 279
 Elyonurus spp., resin grass: 159
- Emmenanthe penduliflora*: 258
- Empetrum nigrum*: 83, 275
- Ephedra trifurca*, Mormon tea: 110
- Epigaea repens*: 288
- Epilobium angustifolium*, fireweed: 74, 88, 171, 189, 236, 268, 284
 E. minutum: 189
- Eragrostis atherstonei*: 122
 E. chapelieri: 122
 E. cilianensis, lutati: 277
 E. curvula: 122, 235
 E. hirsuta: 289
 E. intermedia: 39
 E. jeffreysii: 122
 E. lehmanniana, Lehmann lovegrass: 39
 E. pallens, motsikiri: 277
 E. patentipolosa: 122
 E. racemosa: 235, 279
 E. refracta: 289
 E. rigidior, rathathe: 122, 277, 279
 E. spectabilis: 289
 E. sporoboloides: 122
 E. superba, mogamapundi: 122, 277
 E. trichodes, sand lovegrass: 233
 E. variabilis: 287
 Eragrostis spp., lovegrass: 129, 161, 235
- Erechtites hieracifolia*, fireweed: 289
- Erianthus coarctatus*: 289
 E. contortus: 289
 E. giganteus, giant plume grass: 289
- Erica arborea*: 160
 E. browleeae: 271
 E. cinerea, bell heather: 83, 116
 E. multiflora: 160

- Erigeron annuus*, daisy fleabane: 300
 E. canadensis, horseweed: 206, 270
 E. strigosus, daisy fleabane: 289
 E. vernus: 289
 Erigeron spp., fleabane: 110
- Erinacea anthyllis*: 160
- Eriocaulon compressum*, pipewort: 58
- Eriodictyons californicum*, yerba santa: 37, 51, 197
- Eriophorum spissum*, cotton grass: 284
- Erodium botrys*: 97
- Eryngium yuccifolium*: 6, 289
- Erythrina herbacea*, Cherokee bean: 289
 E. tomentosa: 122
- Erythronium grandiflorum*: 171
- Eucalyptus baxteri*, brown stringybark: 45
 E. dalrympleana: 45
 E. delegatensis, alpine ash: 45, 194
 E. elaeophora, broadleaf box: 45
 E. fastigata: 45
 E. gigantea: 45
 E. globulus, victorian blue gum: 45, 194
 E. gonicalyx, mountain grey gum: 45
 E. macrorrhyncha, red stringy bark: 45
 E. obliqua, missmate: 45, 194
 E. ovata, swamp gum: 45
 E. reganans, mountain ash: 45, 106, 194
 E. robusta: 105
 E. rubida, candlebark gum: 45
 E. saligna, Sydney blue gum: 45
 E. viminalis, manna gum: 45
 Eucalyptus spp.: 216
- Euclea divinorum*: 122
- Eugenia axillaris*, white stopper: 132
 E. simpsonii, Simpson's stopper: 132
 E. zeylanica: 302
- Eulalia villosa*: 235

Euonymus americanas: 24

Eupatorium album: 65, 289

E. aromaticum, wild hoarhound: 65, 289

E. capillifolium, dog-fennel: 289

E. coelestinum: 289

E. compositifolium, dog-fennel: 289

E. hyssopifolium: 65, 289

E. incarnatum: 289

E. recurvans: 289

E. rotundifolium, false-hoarhound: 65, 289

E. tortifolium: 289

Eupatorium spp.: 65

Euphorbia candelabrum: 277

E. characias: 270

E. corollata: 65, 289

E. maculata, milk-purslane: 289

E. missurica, Missouri spurge: 307

E. nicaeensis: 270

E. nutans: 289

E. serrata: 270

Euphorbia spp., candelabra: 86

Exothea abyssinica: 161

Fadogia odorata: 298

Fagus grandifolia, beech: 24, 210, 144, 203

F. orientalis: 160

F. sylvatica: 150, 160

Ferocatus wislizeni, barrel cactus: 110

Festuca arundinacea, tall fescue: 51, 92, 202

F. aurasiaca: 160

F. idahoensis, Idaho fescue: 18, 89, 296, 297

F. octoflora, sixweeks fescue: 289

F. ovina, durar hard fescue: 160, 164, 188, 268, 270

F. rubra, chewing fescue: 92

F. scabra: 298

F. spadicea: 270

Festuca spp., fescue: 206

Ficus aurea, strangler fig: 132

F. sycamorus, mochaba: 277

Ficus spp.: 86

Fimbristylis autumnalis: 289
 F. castanea, fringe rush: 132
 F. drummondii: 289

Fitzroya cupressoides, alerce: 305

Flourensia cernua, tarbush: 110

Fouquieria splendens, ocotillo: 110

Fragaria glauca, smooth wild strawberry: 68
 F. virginiana, wild strawberry: 288, 289
 Fragaria spp., strawberry: 90, 297

Franseria deltoidea, bursage: 110

Fraxinus americana, white ash: 306
 F. pennsylvanica, green ash: 24, 233

Froelichia floridana, snake cotton: 307

Fuchsia magellanica, shilco: 305

Fuirena breviseta, umbrella grass: 289

Fumana cordifolia: 270

Fumaria capreolata: 160

Gaillardia lanceolata, blanket flower: 289

Galactia mollis: 289
 G. volubilis: 65, 289

Galium aparine, bedstraw: 22
 G. boreale, northern bedstraw: 128, 288
 G. ciraezans: 65, 289
 G. corrudaefolium: 270
 G. ellipticum: 160
 G. pilosum: 289
 G. triflorum: 89, 171
 Galium spp.: 125

Garcinia livingstonei, motsaudi: 277

Gaultheria procumbens: 256, 288
 G. shallon, salal: 189, 257

Gaura filipes: 289
 G. parviflora, gaura: 41

Gaylussacia baccata, huckleberry: 203, 256

Gayophytum nuttallii: 94

Genista scorpius: 270
 G. tricuspidata: 160
 G. ulicina: 160

Gentiana villosa: 65, 289

Geranium bicknellii: 171
 G. carolinianum, geranium: 206, 289
 G. purpureum: 270
 G. sylvaticum: 273

Gerardia fasciculata, false-foxglove: 289
 G. tenuifolia: 65, 289

Gila gilioides: 94

Glactia volubilis, milk-pea: 175

Glyceria striata, manna grass: 289

Glycine max, soybean: 300

Glycyrrhiza lepidota, wild licorice: 128

Gnaphalium falcatum: 289
 G. obtusifolium, rabbit-tobacco: 289
 G. peregrinum: 289

Gmelina arborea: 302

Goodia latifolia: 45

Goodyera oblongifolia: 125, 189

Gordonia losianthus, loblolly bay: 24, 58

Gossypium tomentosum, mao: 287

Gratiola pilosa: 289
 G. ramosa: 289

Grevillea robusta, silk oak: 287
Grewia bicolor, mogwana: 277
 G. flava, moretlwa: 277
 G. tilliaefolia: 302
 Grewia spp.: 216
Gymnocarpium dryopteris: 89
Gymnopogon ambiguus: 289
 G. brevifolius: 65
 G. falcatum: 289
 G. obtusifolium: 289
 G. peregrinum: 289
Gyrotheca tinctoria, paintroot: 58
Gyrophora muhlenbergii: 256
Habenaria elegans: 171
 H. quinqueseta: 289
 H. unalascensis: 125
Hagenia abyssinica: 86
Halesia carolina, Carolina silverbell: 12
 H. diptera, silverbell: 24
Halimium halimifolium: 160
Halleria spp.: 216
Haplopappus divaricatus: 289
 H. tenuifolium, bitterweed: 289
 H. tenuisectus, burroweed: 110
Harpechloa, flax: 235, 298
Harrisonia abyssinica: 303
Hedera helix: 160
Hedyotis procumbens: 289
Helianthemum canadense: 288
 H. carolinianum, rockrose: 289
 H. guttatum: 160
 H. tuberaria: 160

- Helianthus angustifolius*, sunflower: 65, 289
 H. annuus, common sunflower: 22, 65, 114
 H. grosseserratus: 6
 H. hirsutus: 65, 289
 H. laetiflorus, stiff sunflower: 128, 307
 H. maximiliani, Maximilian sunflower: 307
 H. microcephalis: 65
 H. mollis: 65
 H. occidentalis: 288
 H. petiolaris, prairie sunflower: 307
 H. radula: 289
 H. rigidus: 288
 H. silphioides: 65
 H. strumosus: 288
- Helicteres isora*: 302
- Helictotrichon turgidulum*: 235
- Hemarthria altissima*: 277
- Heteropogon contortus*, pili grass, tangle head: 39, 122, 159, 216,
 235, 277, 279, 287
 H. melanocarpus: 289
- Hetrotheca latifolia*, camphor weed: 206
 H. subaxillaris: 289
- Hevea brasiliensis*, para rubber tree: 138, 150, 259, 260
- Hibiscus tiliaceus*, hau: 287
- Hieracium albiflorum*: 125
 H. album, hawkweed: 94
 H. gronovii: 65, 289
 H. murorum: 270
 H. pilosella: 270
 H. scouleri, balsam woolyweed: 90
- Hierochloa alpina*, arctic holy grass: 46
- Hilaria mutica*, tobasa grass: 32, 110, 246, 310
- Hippocrepis comosa*: 270
- Holodiscus discolor*, ocean spray: 89, 157, 171, 189, 202, 208, 297
- Holoptelea grandis*: 303

- Hordeum bulbosum*: 199
 H. jubatum, fox tail: 295
 H. pusillum, barley: 206, 310
 H. spontaneum, wild barley: 199
- Hydrangea arborescens*: 24
- Hydrochloa caroliniensis*, floating-leaf grass: 289
- Hulocomium splendens*, moss: 274
- Hyparrhenia dissoluta*: 216
 H. filipendula, thatch grass: 122, 277, 298, 303
 H. hirta: 235
 H. lintolii: 242
 H. pilosissima: 235
 H. rufa, thatch grass: 277
 Hyparrhenia spp.: 81
- Hypericum denticulatum*: 65
 H. denticulatum acutifolium: 289
 H. fasciculatum: 58
 H. gentianoides, poverty weed: 289
 H. maculatum: 273
 H. multilum, dwarf St. John's wart: 289
 H. punctatum: 289
- Hyperthelia dissoluta*, thatch grass: 122, 277, 279
- Hyphaene ventricosa*, makubwane: 9, 277
- Hypochoeris aetnensis*: 160
- Hyptis radiata*: 289
- Ilex aquifolium*: 160
 I. cassine, dahoon holly, cassena: 58, 132
 I. coriacea: 24, 58
 I. glabra, gallberry: 58, 105, 174, 186, 200, 254, 256
 I. myrtifolia: 58
 I. opaca, American holly: 24, 268
- Iliamna rivularis*: 171
- Imperata arundenacea*, along-along yellow grass: 302
 I. cylindrica, cagon grass: 301, 302, 303

Indigofera arrecta: 175
 I. australis: 45
 I. caroliniana, indigo: 289
 I. daleoides: 277
 I. flavicans: 277

Ipomoea pandurata: 65, 289

Iris caroliniana: 58
 I. sibirica: 273
 I. virginica, southern blue flag: 289

Ischaemum angustifolium: 302
 I. brachyatherum: 122

Iseilema spp.: 302

Itea virginica, sweet spire: 24, 58

Iva microcephala: 289
 I. zanthifolia, rag sumpweed: 114

Jacquinia keyensis, joewood: 132

Jardina spp.: 277, 314

Julbernardia globiflora: 298
 J. paniculata: 277

Juncus biflorus: 289
 J. dichotomus: 289
 J. effusus: 289
 J. elliotii: 289
 J. marginatus: 289
 J. polycephalus: 289
 J. roemerianus, juncus: 132
 J. scirpoides: 289
 J. squarrosus, heath rush: 83
 J. tenuis: 300
 Juncus spp., rush: 128, 233

Juniperus ashei, ashe juniper: 311
 J. communis: 160, 275
 J. deppeana, alligator juniper: 116
 J. excelsa: 160

J. occidentalis, western juniper: 116
J. oxycedrus: 160, 270
J. pachyphloea, alligator juniper: 297
J. phoenicea, red juniper: 160
J. pinchotii, redberry juniper: 129
J. procera: 86
J. scopulorum, Rocky Mountain juniper: 80
J. thurifera: 160
J. virginiana, eastern redcedar: 93, 233, 244, 306
Juniperus spp., juniper: 64, 272, 285

Justicia elliotii: 86

Kallanchoe glauca: 139

Kalmia angustifolia, sheep laurel: 165, 243, 256
K. latifolia, mountain laurel: 12, 306
K. polifolia, bog laurel: 284

Kigelia aethiopum: 303

Knoutia arvensis: 139

Koeberlinea spinosa, allthorn: 110

Koeleria cristata, prairie junegrass: 80, 128, 164, 235, 288, 289
K. splendens: 160
K. vallesiana: 160

Krigia virginica: 289

Kuhnia eupatorioides, false boneset: 307

Kuhnistera pinnata, summer farewell: 289

Kyaya grandifolia: 303

Kydia calycina: 302

Lachnanthes tinctoria: 58

Lactuca canadensis, wild lettuce: 206, 288, 289
L. serriola, prickly lettuce: 130, 206, 270, 284

Lagerstroemia spp., white-trunked sralao: 301

Lagoseris sancta: 270

Laguncularia racemosa, white mangrove: 132
Lamium amphexicule: 206
Lanea edulis: 298
 L. humilis: 216
Lantana salvifolia: 277
Laportea canadensis, woodnettle: 306
Larix decidua, European larch: 120
 L. laricina, eastern larch: 68, 88, 227, 236, 256, 284
 L. leptolepis, Japanese larch: 120
 L. lyallii, alpine larch: 74, 89
 L. occidentalis, western larch: 63, 90, 157, 176, 204, 210,
 239, 249, 250, 262, 304, 297
Larrea tridentata, creosotebush: 39, 110
Lathyrus venosus: 288
Laurelia philippiana, hua-huan: 305
Laurus nobilis: 199
Lavandula staechas: 160
Lavatera cretica: 270
Lechia minor: 289
 L. patula: 289
 L. villosa: 289
Lecidia uliginosa, lichen: 83
Ledum decumbens, Labrador tea: 46
 L. glandulosum; 89
 L. groenlandicum, Labrador tea: 68, 236, 256
Leersia hexandra, mokanja: 277, 289
Llemna spp., duckweed: 233
Lepidium virginicum, peppergrass: 206, 216, 289
 Lepidium spp.: 307
Leptochloa dubia, green sprangletop: 129

Lespedeza angustifolia: 65, 289

L. capitata: 65, 289

L. cuneata: 289

L. hirta: 65, 289

L. intermedia: 65

L. procumbens: 65, 289

L. repens: 65, 289

L. stipulacea, Korean lespedieza: 300

L. striata: 175, 289

L. stuevei: 289

L. virginica: 65, 289

Leucothoe racemosa, swamp fetterbush

Liatris aspera: 6, 288

L. elegans: 289

L. graminifolia elegantula: 289

L. punctata, dotted gayfeather: 80, 307

L. spicata: 65, 289

L. tenuifolia: 289

Libocedrus decurrens, incense cedar: 20, 21, 116, 125

Ligusticum verticillatum: 89

Lilium columbianum: 171

L. michauxii, turk's-cap-lily: 289

Limodorum abortivum: 270

Linaria canadensis, blue toad flax: 289

L. texana: 289

Lindernia anagallidea, false-pimpernel: 289

Linnaea borealis, twinflower: 89, 189

Lipocarpa maculata: 289

Lippia asperifolia: 279

Liquidambar styraciflua, sweet gum: 10, 24, 168, 153, 267

Liriodendron tulipifera, tulip tree: 306

Listera caurina: 189

L. cordata: 189

- Lithospermum canascens*: 288
Lithospermum spp., gromwell: 307
- Lobelia aberdarica*, giant lobelia: 86
L. gibberoa, giant lobelia: 86
L. inflata: 65
L. puberula: 65, 289
- Lolium multiflorum*, Italian ryegrass: 5, 82, 92, 164, 206
L. perenne, perennial ryegrass: 268
L. rigidum, Wimmera ryegrass: 51, 92
L. subulatum, Wimmera ryegrass: 37
- Lonchocarpus capassa*, mhata: 277
L. melsii: 9
- Lonicera ciliosa*: 171
L. etrusca: 199, 270
L. implexa: 160, 270
L. utahensis, red twinberry: 89, 171, 208
- Lorinseria areolata*, fern: 148
- Lotus peregrinus*: 199
L. scoparius: 199
Lotus spp., lotus: 22
- Loudetia simplex*, russet grass: 81, 82, 122, 161, 162, 216, 277, 279
- Ludwigia hirtella*: 289
L. lanceolata: 58
L. linearis: 289
L. microcarpa: 289
L. pilosa: 189
L. virgata: 289
- Lupinus argenteus*: 171
L. sulphureus: 171
L. villosus: 289
- Luzula hitchcockii*: 171
- Lycopodium alopecuroides*, southern club moss: 148
L. cernuum, nodding club moss: 287
Lycopodium spp., ground pine: 189, 203
- Lycopus rubellus*, bugleweed: 289

Lycurus phleoides, wolftail: 39
Lygeum spartum, lygeum: 160
Lygodesmia aphylla: 289
Lyonia ligustrina: 58
 L. lucida, hurrah bush: 58
Lysiloma bahamensis, wild tamarind: 132
Lysimachia cousiniana: 160
 L. quadrifolia: 288
Lythrum salicaria: 139
Macaranga kilimandscharica: 86
Maclura pomifera, osage-orange: 254
Magnolia glauca, bay: 148
 M. grandiflora, southern magnolia: 24, 144
 M. tripetala, magnolia: 306
 M. virginiana, whitebay: 24
Maianthemum canadense: 288
Majorana syriaca: 199
Mastichodendron foetidissimum, false mastic: 132
Maytenus senegalensis: 279
 M. tenuispina: 277
Mecardonia acuminata: 289
Medicago murex: 160
 M. polymorpha: 199
 M. soleirolei: 160
Melanpyrum lineare: 288
Melandrium dioicum: 273
Melica minuta: 160
Melilotis officinalis, yellow sweetclover: 268, 300
 M. alba, sweet clover: 300

Melocanna bambusoides, bamboo: 302

Metopium toxiferum, poisonwood: 132

Mentzelia floridana, poor-man's patch: 132

Menziesia ferruginea, fool's huckleberry: 78, 89, 171, 239, 304

Mertensia ciliata: 125

Metrosideros collina polymorpha, ohia lehua: 287

Meum athamanticum: 273

Michrochloa caffra: 235
 M. kunthii: 86, 122

Microlaena stipoides: 287

Mimosa biuncifera, catclaw mimosa: 129
 M. dysocarpa, velvet-pool mimosa: 39

Mimulus rattanii: 258

Mimusops bagshawei: 86

Miscanthidium teretifolium, moxa: 277

Molinia caerulea, purple moor grass: 83, 188

Monarda fistulosa: 6, 288
 M. punctata punctata: 289

Monocymbium caresiiforme: 235

Monotropa uniflora: 289

Morus rubra, red mulberry: 24

Mucuna coriacea, buffalo beans: 298

Muhlenbergia cuspidata, stoneyhill's muhly: 80
 M. emersleyi, bullgrass: 39
 M. expansa, cutover muhly: 105, 289
 M. filifera, purple muhly: 132, 277
 M. montana, mountain muhly: 22, 297
 M. punges, sandhill muhly: 233
 M. racemosa: 288

- M. setifolia*, curlyleaf muhly: 129
M. sylvatica: 65
M. torreyana: 289
M. virescens, screwleaf muhly: 296, 297
- Myrica asplenifolia*, sweet fern: 284, 288
M. cerifera, southern wax myrtle: 24, 93, 132, 153, 313
M. gale, bog myrtle: 83, 256
M. pensylvanica, bayberry: 203, 256, 264
M. pumila: 93
- Myrtus communis*: 160
- Narcissus tazetta*: 199
- Nardus stricta*, moor mat-grass: 83, 188
- Nemopanthus mucronatus*: 256
- Nemophila menziesii*: 139
- Nolina bigelovii*: 285
N. parryi: 285
N. texana, sacahuista: 129
- Nothofagus dombeyi*, coihue: 305
- Notoscordum bivalve*, false garlic: 289
- Nuphar advena*, spotterdock: 58
- Nymphaea caerulea*, tsui: 277
N. odorata, water lily: 58
- Nyssa sylvatica*, blackgum: 12, 24, 65, 148, 165, 168, 267, 306
N. sylvatica biflora, swamp blackgum: 58
- Ochna leopoclada*: 298
O. pulchra, monyele n yele: 277
- Ochroma lagopus*, balsa: 196
- Oenothera biennis*, evening primrose: 289
O. crispus, evening primrose: 289
O. fruticosa, sundrop: 289
O. laciniata: 289
O. tetragona sharpii: 65

Olea africana: 86
 O. ceratonia: 160
 O. europaea: 160

Ononis minutissima: 270

Oplopanax horridum, devil's club: 247

Opuntia dillenii, opuntia: 132
 O. engelmannii, prickly pear: 39, 110, 310
 O. fulgida, jumping cholla: 39, 110
 O. imbricata, cholla: 310
 O. leptocaulis, tasajillo: 310
 O. pollardi, common prickly pear: 289
 O. spinosior, cane cholla: 39
 O. versicolor, cane cholla: 110
 Opuntia spp., prickly pear: 129, 246

Orchis papilionaceus, orchids: 199

Ormocarpum trichocarpum: 122

Orontium aquaticum, neverwet: 58

Orydendrum arboreum, sourwood: 12, 24

Oryza longistaminata, mokao: 277

Oryzopsis asperifolia: 288
 O. caerulea: 199
 O. micrantha, littleseed ricegrass: 80
 O. miliacea, smilgrass: 37, 51, 199
 O. pungens: 288
 O. racemosa: 288

Osmanthus americanus, devilwood: 24

Osmunda cinnamomea, fern: 148
 O. regalis, fern: 148

Osmorhiza chilensis, sweet cicely: 94, 125

Osyris alba: 160, 270

Ostrya virginiana, eastern hophornbeam: 24

Otoptera burchellii, mosihapo: 277

- Oxalis dillenii*: 289
O. myrtellus: 33
O. stricta, sorrel: 6, 206
- Oxydendrum arboreum*: 24
- Oxytenanthera* spp., bamboo: 216
- Ozoroa paniculosa*, monokune: 277
- Pachistima myrsinites*, mountain lover: 74, 171, 189, 208, 268
- Pachystigma pygmaeum*: 298
- Paeonia corallina*: 160
- Pandanus tectorius*: 287
P. tectorius=*P. odoratissimus*, haea: 287
- Panicum aciculare*: 289
P. agrostoides: 289
P. anceps: 289
P. angustifolium: 65, 289 ✓
P. arenicoloides: 289
P. atosanguineum: 122
P. boscii: 289
P. capensis: 277
P. chrysopidifolium: 289
P. coloratum: 216, 277, 279
P. commutatum: 289
P. commutatum ashii: 65, 298
P. dichotomum: 65
P. ecklonii: 235
P. hemitomon, maidencane: 58, 85, 214, 289
P. hians: 298
P. infestum: 216
P. lanuginosum: 65, 289
P. latifolium: 288
P. laxiflorum: 289
P. leibergii, Leiberg panicum: 128
P. maximum: 122, 216, 235, 242, 277, 279, 303
P. natalense: 235, 298
P. obtusum, vine mesquite: 32, 311
P. oligosanthos, dicanthelium panicum: 41, 289
P. ramosum, millet: 206
P. ravenellii: 65, 289
P. repens, dog-tooth grass: 214, 277
P. scoparium: 289
P. sphaerocarpon: 289
P. virgatum, switchgrass: 159, 233, 289, 300

Parthenium confertum: 129
 P. incanum, marolia: 110
 P. integrifolium: 65

Parinari capensis: 216, 277, 298
 P. curatellifolia: 279, 298

Parkia spp.: 111

Paspalum boscianum: 289
 P. ciliatifolium, frineleaf paspalum: 114, 289
 P. commersonii: 303
 P. floridanum: 289
 P. laeve: 289
 P. notatum, bahia grass: 139
 P. orbiculare: 287
 P. plicatulum: 289
 Paspalum spp., paspalums: 41, 159

Passerina filiformis: 271
 P. montana: 271

Passiflora incarnata: 289

Pastinaca sativa: 6

Paurotis wrightii, tree saw palmetto: 227

Pedicularis canadensis, woody betony: 289
 P. contorta: 171

Peganum harmala: 160

Peltandra spp.: 58

Peltophorum africanum: 122, 277

Pennisetum mezianum: 242
 P. purpurevry: 303
 P. schimperi: 86

Penstemon australis, beard tongue: 289
 P. fruticosus: 171

Pentacme seamensis, reang phnom: 301
 P. suavis, ingyin: 302

Perotis patens: 122

- Persea borbonia*, sweet bay: 58, 132
P. flordana, bay: 148
- Petalostemum albidus*: 289
P. caroliniense: 289
P. purpureum, purple prairie clover: 128
P. villosum, silky prairie clover: 307
- Phacelia brachyloba*: 258
P. grandiflora: 258
P. hastata: 171
P. mutabilis: 94
P. suaveolens: 258
- Phalaris caroliniana*, Carolina canary grass: 310
P. tuberosa, harding grass: 37, 51, 164, 199, 202
- Phaseolus polystachios*, wild bean: 289
- Philadelphus lewisii*, mock orange, syringa: 157, 202, 208, 297
- Phillyrea angustifolia*: 270
P. media: 160, 199, 270
- Phleboteris woodwardi*: 147, 148
- Phleum phleoides*: 160
P. pratense, Drummond timothy: 268, 300
Phleum spp.: 164
- Phlox floridana*: 289
P. glaberrima, smooth phlox: 289
P. hoodii, Hood's phlox: 80
P. pilosa: 288, 289
Phlox spp., phlox: 288, 289
- Phoenix reclinata*: 277
- Photinia arbulifolia*, toyon: 20, 37, 197
- Phragmites communis*, roseau cane, yellow cane: 214, 233, 275, 295
P. mauritanus: 277
- Physalis arenicola*: 289
P. heterophylla, cloning ground cherry: 307
P. virginiana: 289
- Physocarpus malvaceus*, ninebark: 87, 89, 157, 208, 297, 304

- Picea abies*, Norway spruce: 33, 120, 274
P. engelmannii, Engelmann spruce: 38, 44, 63, 74, 87, 89, 157, 166, 178, 237, 239, 304, 314
P. mariana, black spruce: 40, 68, 88, 228, 236, 247, 256
P. rubens, red spruce: 12
- Picris hieracoides*: 270
- Pieris phylllyreifolia*: 58
- Pilgerodedron uviferum*, cipres de las guaytecas: 305
- Pinus albicaulis*, whitebark pine: 74, 89, 131, 166, 268, 304
P. attenuata, knobcone pine: 197, 285
P. banksiana, jack pine: 39, 56, 68, 88, 100, 120, 167, 227, 236, 243, 256, 278, 284, 288, 304, 308
P. brutia: 160, 164, 199
P. caribaea, Caribbean pine: 35, 196
P. cembroides, Mexican pine: 216
P. clausa, sand pine: 92
P. contorta, lodgepole pine: 38, 74, 88, 89, 90, 92, 123, 127, 137, 166, 167, 171, 178, 189, 208, 210, 237, 239, 262, 168, 297, 304
P. contorta latifolia, lodgepole pine: 40, 44
P. contorta murrayana, lodgepole pine: 258
P. duragensis, 173
P. echinata, shortleaf pine: 10, 12, 56, 85, 93, 148, 165, 252, 253, 262, 289
P. edulis, pinyon pine: 7, 272, 315
P. elliotii, slash pine: 30, 31, 58, 85, 96, 105, 148, 150, 174, 186, 196, 200, 216, 252, 253, 290, 291
P. elliotii elliotii, slash pine: 92
P. elliotii densa, southern slash pine: 105, 132, 148
P. engelmanni, Apache pine: 173
P. flexilis, limber pine: 38, 44, 80, 118
P. halepensis: 160, 164, 199
P. insularis: 302
P. jeffreyi, Jeffrey pine: 20, 27, 29, 127, 258, 259, 285
P. lambertiana, sugar pine: 20, 27, 125, 198, 258
P. laricio: 160
P. leiophylla, chihuahua pine: 173
P. longifolia, chir: 302
P. lutea, 289
P. monophylla, pinyon pine: 285
P. monticola, western white pine: 74, 123, 157, 171, 210, 262, 304
P. monticola x albicaulis: 123
P. murrayana, Sierra lodgepole pine: 27, 29, 174, 186, 196, 200, 216, 252, 253, 258

- P. oocarpa*, acote: 35, 196
P. palustris, longleaf pine: 16, 24, 26, 30, 31, 67, 85, 92, 93, 96, 135, 138, 148, 150, 174, 186, 205, 252, 253, 289, 291, 313
P. patula: 216
P. pinaster: 160
P. pinea: 160, 164
P. ponderosa, ponderosa pine: 7, 20, 21, 22, 38, 44, 56, 74, 80, 89, 90, 102, 116, 118, 125, 127, 131, 150, 157, 177, 198, 205, 208, 210, 233, 239, 259, 262, 263, 268, 272, 285, 296, 297, 304, 314
P. pugnens, table mountain pine: 12, 306
P. radiata, Monterey pine: 45, 144, 194, 212, 216, 260
P. resinosa, red pine, Norway pine: 40, 88, 93, 256, 278, 284
P. rigida, pitch pine: 12, 56, 93, 165, 306
P. roxburgii: 134, 152
P. sabiniana, digger pine: 20
P. serotina, pond pine: 109, 148
P. squarrosa: 289
P. strobus, eastern white pine: 40, 85, 120, 144, 256, 278, 284, 306
P. sylvestris, Scots pine, Scotch pine: 33, 83, 120, 147, 148, 150, 240, 260, 274
P. taeda, loblolly pine: 10, 24, 85, 92, 105, 120, 150, 168, 175, 201, 252, 253, 259, 260, 264, 289, 290, 291, 294
P. virginiana, Virginia pine: 12, 306
Pinus spp., pine: 24

Piriqueta caroliniana: 289

Piscidia piscipula, Jamaica dogwood: 132

Pistacia lentiscus: 160, 199, 270

P. palaestina: 199

P. terebintus: 160

Pistacietum lentisci typicum: 199

Pithecellobium unguis-cati, cat's claw: 132

Platanus occidentalis, sycamore: 306

Plantago lanceolata: 83

P. purshii, wooly plantain: 307

P. virginica: 289

- Pleurozium schreberi*, moss: 274
- Poa bulbosa*: 160
P. compressa: 6
P. pratensis, Kentucky bluegrass: 6, 92, 112, 128, 244, 297, 288
P. secunda, Sandberg's bluegrass: 296, 297
- Podocarpus falcatus*: 216
P. olea: 216
P. milanjanus: 86
- Pogonarthia squarrosa*: 122, 279
- Polygala grandiflora*: 289
P. incarnata: 289
P. lutea, bachelor's button: 289
P. nana, bachelor's button: 289
P. polygama: 289
P. ramosa: 289
- Polygonatum biflorum*, Solomon's seal: 289
- Polygonum bistorta*: 273
- Polymnia uvedalia*: 289
- Polypodium polypodioides*: 289
P. vulgare, fern: 83
- Polytrichum juniperinum*, moss: 83, 274
- Polytrichum* spp., moss: 203
- Pontedria cordata*: 58
- Populus balsamifera*, balsam poplar: 68, 88, 227
P. deltoides, eastern cottonwood: 233
P. tacamahacca, balsam poplar: 247
P. tremula: 273, 274
P. tremuloides, quaking aspen: 38, 40, 44, 68, 80, 87, 88, 127, 166, 171, 187, 227, 236, 243, 247, 256, 278, 288
P. trichocarpa, black cottonwood: 77, 171, 247
Populus spp.: 80, 87, 284
- Potamogeton* spp., pondweed: 233

Potentilla simplex, cinquefoil: 65, 300

Poterium sanguisorba: 164

P. spinosum: 160, 199

Prasium majus: 199

Prenanthes aspera: 65

P. autumnalis: 289

P. serpentaria: 289

Prosopis africana: 303

P. glandulosa, honey mesquite: 32

P. glandulosa glandulosa, mesquite: 310

P. juliflora, mesquite: 114

P. juliflora velutina, velvet mesquite: 32, 39

P. velutina, velvet mesquite: 110

Prosopis spp., mesquite: 246

Protea laticolor: 270

Prunus africana: 86

P. americana, wild plum: 80, 233

P. angustifolia, Chickasaw plum: 114

P. besseyi, sand cherry: 233

P. caroliniana, Carolina laurelcherry: 24

P. emarginata, bitter cherry: 157, 171, 208, 295

P. pensylvanica, pin cherry: 80, 187, 243

P. prostrata: 160

P. pumila: 288

P. serotina, black cherry: 10, 24, 203, 289

P. umbellata, hog plum: 289

P. virginiana, common cherry: 80, 87, 187, 288

Pseudocytisus mairei: 160

Pseudotsuga douglasii: 152

P. macrocarpa, big cone Douglas-fir: 285

P. menziesii, Douglas-fir: 8, 20, 38, 44, 56, 63, 87, 89, 90,
92, 102, 118, 123, 127, 131, 157,
166, 171, 177, 178, 189, 204, 205,
208, 210, 223, 237, 239, 249, 250,
257, 262, 263, 297, 304

P. menziesii glauca: 150, 259

P. menziesii viridis, Douglas-fir: 113

- Psoralea argophylla*, silverleaf scurfpea: 128
P. canescens: 289
P. psoraliodes edglandulosa: 65
- Pterocaulon undulatum*, blackroot: 139, 289
- Pteridium aquilinum*, bracken fern: 20, 22, 51, 56, 67, 83, 119, 138, 148, 157, 160, 171, 188, 243, 268, 284, 288, 289
P. aquilinum decompositum, bracken fern: 287
P. esculentum, bracken fern: 45
- Pterocarpus angolensis*, mokwa: 9, 277, 298
- Pterygota mildbraedii*: 303
- Pultenaea scabra*: 45
- Purshia tridentata*, bitterbrush: 20, 60, 84, 90, 116, 208, 268, 296, 297
- Pycnanthemum flexuosum*, mountain mint: 289
P. incanum: 65, 289
P. tenuifolium: 65
- Pycreus mundtii*: 277
- Pymaethamnus zeyheri*: 298
- Pyrola asarifolia*: 171
P. picta: 125
P. secunda: 89, 171
- Pyrhoppappus carolinianus*, false dandelion: 289
- Pyrus angustifolius*, crab apple: 289
P. arbutifolia, red chokecherry: 289
- Quercus afares*: 160
Q. alba, white oak: 24, 165, 203, 269, 306
Q. arizonica, Arizona white oak: 173
Q. auzandi: 270
Q. boissieri: 199
Q. borealis, red oak: 284
Q. calliprinos: 160, 199
Q. cerris: 160
Q. coccifera, Kermes oak: 160, 164, 270

Q. coccinea, scarlet oak: 12, 65, 165, 203, 267, 306
Q. conferta: 160
Q. dumosa, scrub oak: 37, 51, 197
Q. durifolia: 173
Q. ellipsoidalis, Hill's northern pin oak: 40, 112, 284, 288
Q. emoryi, emory oak: 173
Q. endlichiana: 173
Q. faginea: 160
Q. falcata, southern red oak: 10, 24, 65, 168, 267
Q. falcata pagodaefolia: 65
Q. hemisphaerica: 24
Q. hypoleucoides, silver-leaf oak: 173
Q. ilex: 160, 164, 270
Q. ilicifolia, bear oak: 56, 165, 306
Q. ithaburensis: 199
Q. kelloggii, California black oak: 20, 22, 125, 198
Q. lanuginosa: 270
Q. laurifolia, laurel oak: 24
Q. lyrata, overcup oak: 269
Q. macedonica: 160
Q. macrocarpa, bur oak: 40, 80, 112, 244, 284, 288
Q. marilandica, blackjack oak: 65, 165, 168, 253, 267
Q. minima, runner oak: 138
Q. mohriana, Mohr's oak: 129
Q. nigra, water oak: 10, 24
Q. oleoides, roble: 35, 196
Q. phellos, willow oak: 168, 269
Q. prinoides, dwarf chinkapin oak: 165, 244, 245
Q. prinus, swamp chestnut oak: 12, 24, 165, 269, 306
Q. pubescens: 160
Q. pyrenaica: 160
Q. robur: 160
Q. rubra, northern red oak: 12, 203, 208, 269, 306
Q. shumardii, Shumard oak: 24
Q. stellata, post oak: 24, 65, 165, 168, 267
Q. suber: 160
Q. toza: 160
Q. turbinella, shrub live oak: 129
Q. undulata, wavyleaf oak: 129
Q. velutina, black oak: 24, 65, 165, 203
Q. virginiana, live oak: 132, 153, 159
Q. wislizeni, interior live oak: 20, 197
Quercus spp., oak: 254, 258, 264, 311

Randia aculeata, randia: 132

Rapanea guianensis, myrsine: 132

- Raphanus salivus*, radish: 120
- Rapistrum rugosum*: 270
- Ratibida columnaris*, upright prairie coneflower: 307
 R. pinnata: 6
- Redfieldia flexuosa*, blowout grass: 233
- Rhamnus alaternus*: 199, 270
 R. alpina: 160
 R. infectoria: 270
 R. lycioides: 160
 R. palaestina: 199
 R. purshiana, cascara: 157, 208
- Rhexia mariana*: 65
- Rhizobium modulation*: 65
- Rhizophora mangle*, red magrove: 132, 227
- Rhododendron calendulaceum*, flame azalea: 306
 R. canescens, rhodora: 24
 R. canadense: 256
 R. lapponicum, Lapland rose bay: 46
 R. roseum, pink azalea: 306
- Rhus aromatica*, aromatic sumac: 114
 R. copallina, shining sumac, dwarf sumac: 24, 65, 132, 203, 289
 R. dentata: 235
 R. glabra, smooth sumac: 65, 289
 R. javanica, Hawaiian sumac: 287
 R. radicans, poison ivy: 289
 R. rehmanniana: 235
 R. toxicodendron, poison oak: 289
- Rhynchelytrum repens*: 122, 235
- Rhynchosia difformis*: 289
 R. mollissima: 289
- Rhynchospora cephalantha*: 289
 R. fascicularis: 289
 R. filifolia: 289
 R. globularis: 289

- R. glomerata*: 289
- R. grayii*: 289
- R. harveyi*: 289
- R. inundata*, beakrush: 58
- R. perplexa*: 289
- R. plumosa*: 289
- R. simplicifolia*: 289
- R. tomentosa*: 289
- Ribes lacustre*: 74, 171
- R. roezlii*: 94, 125
- R. sanguineus*: 189
- R. viscosissimum*: 171
- Ribes* spp., currant, gooseberry: 80, 87, 245
- Rica arborea*, giant heather: 86
- Richardia scabra*: 289
- Robinia pseudoacacia*, black locust: 306
- Rosa arkansana*, prairie rose: 128, 233
- R. carolina*, pasture rose: 65, 289
- R. gymnocarpa*: 89, 171, 189
- R. multiflora*, multiflora rose: 300
- R. palustris*, swamprose: 289
- R. sempervirens*: 270
- R. spaulingii*: 297
- R. ultra-montana*: 297
- R. woodsii*, wild rose: 87
- Rosa* spp., rose: 68, 80, 125, 157, 288
- Rosmarinus officinalis*: 160, 270
- R. tournefortii*: 160
- Rubia peregrina*: 160, 270
- Rubus argutus*: 289
- R. cuneifolius*, sand blackberry: 289
- R. flagellaris*, dewberry: 300
- R. leucodermis*: 171
- R. parviflorus*, thimbleberry: 89, 157, 171, 208
- R. tenuifolia*: 199
- R. tomentosus*: 270
- R. trivialis*, dewberry: 289
- R. ursinus*: 189
- Rubus* spp.: 187, 238, 254, 288

Rudbeckia hirta, black-eyed Susan: 6, 41, 289
Ruellia caroliniensis: 289
Ruellia spp., wild petunia: 41
Rumex acetosella, sheep sorrel: 203
R. crispus, curly dock: 206
R. hastatulus: 289
Ruscus hypophyllum: 160
Sabal palmetto, cabbage palmetto: 132, 138, 150, 153
Sacciolepis striata, false maidencane: 58
Sacropoterium spinosa: 199
Sadleria cyatheoides, fern: 287
Sagittaria lancifolia, bull tongue: 215
S. latifolia, delta duck potato, arrowhead: 214, 233
Salix abusculoides: 247
S. barclayi: 247
S. bebbiana: 247
S. caprea: 273
S. discolor: 288
S. humilis: 65
S. lasiandra: 189
S. pulchra: 88
S. scouleriana, Scouler willow: 74, 157, 171, 208, 247
S. tristis: 65
Salix spp., willow: 46, 68, 87, 187, 233, 243, 297
Salvia azurea, sage: 289
S. lyrata, lyre-leaved sage: 289
S. triloba: 199
Sambucus canadensis, American elder: 24
S. racemosa: 171
Sambucus spp., elderberry: 238
Sanguisorba minor: 270
Sanicula micrantha: 160
Sansevieria aethiopica: 277

Santalum freycinetianum: 287
Sarracenia drummondii, pitcher plant: 139
Sassafras albidum, sassafras: 24, 65, 153, 267, 306
Satureja thymbra: 199
Saxegothea conspicua, maniu hembra: 305
Scabiosa maritima: 270
Scaevola chamissoniana, maupoka: 287
 S. cylindrocarpa: 287
 S. microcarpa: 287
Scheelea spp., palm: 35
Schizachne purpurascens: 288
Schizachyrium brevifolium: 122
 S. jeffereysii: 122
 S. semiberbe: 279
 S. scoparium: 311
Schmidtia pappophoroides: 277
Schlotheimia festucacea, whitetop grass: 295
Schrunkia microphylla: 65, 289
Scirpus acutus, hardstem bulrush: 295
 S. americanus, fresh marsh three-cornered grass: 214
 S. caespitosus, deergrass, sedge: 83, 119
 S. californicus, bulrush: 214
 S. cyperinus, woolgrass: 284
 S. eriophorum: 58
 S. olenyi, brackish three-cornered grass: 214
 S. robustus, leafy three-cornered grass: 214
 S. rubricosus: 289
 Scirpus spp., bulrush: 233
Scleria baldwinii: 289
 S. ciliata: 289
 S. pauciflora: 289
Sclerocarys caffra: 122, 279
Scleropoa rigida: 270

Scutellaria elliptica: 289
 S. integrifolia: 65, 289

Secale cereale: 139

Securinega virosa: 279

Sedum nicaeense: 270

Selaginella densa, spikemoss selaginella: 80

Senecio gallicus: 270
 S. smallii: 65
 S. tomentosus, bitterweed: 206

Sequoia sempervirens, redwood: 102, 152, 258, 305

Sequoiadendron giganteum, giant sequoia: 21, 102, 125, 152, 198

Serenoa repens, saw palmetto: 132, 150, 174, 186, 200, 252, 253, 313

Sericocarpus linifolius: 65
 S. tortifolius: 289

Sesbania bispinosa: 277
 S. vesicaria, bladder pod: 289

Sesuvium maritima, sea purslane: 132

Setaria avettae: 277
 S. ciliolata: 277
 S. flabellata: 279
 S. geniculata: 65, 289
 S. leucopila, plains bristleggrass: 32
 S. pallide-fusca: 122
 S. porphyrantha: 122
 S. sahacilata: 303
 S. setulosa: 303
 S. sphacelata: 216, 277, 279
 S. woodii: 279
 Setaria spp.: 235

Shepherdia canadensis: 171

Shinus terebinthifolius, Brazilian pepper: 132

Shorea albida: 144, 260
 S. obtusa, peechuck: 301
 S. robusta, sal: 134, 152

Sida fallax, ilima: 287

Sideranthus spinulosus, ironplant: 307

Silene antirrhina: 289
 S. italica: 270
 S. menziesii: 171

Silphium asteriscus, rosen weed: 289
 S. compositum: 289
 S. terebinthinacium: 6

Sisyrinchium arenicola: 289

Smilacina racemosa, false Solomon's seal: 171, 289
 S. stellata: 171

Smilax aspera: 160, 199, 270
 S. glauca: 65
 S. laurifolia, bamboo vine: 58
 S. walteri, coral greenbrier: 58

Sacciolepis striata, false maidencane: 58

Solanum carolinense, nightshade: 206
 Solanum spp.: 279

Solidago altissima, tall goldenrod: 6, 128
 S. bicolor: 65
 S. bootii: 289
 S. caesia, goldenrod: 203
 S. canadensis: 171
 S. erecta: 65
 S. gigantea: 6
 S. microcephala: 289
 S. missouriensis, Missouri goldenrod: 80, 288, 307
 S. nemoralis: 6, 65, 288, 289
 S. ordora: 65, 105, 289
 S. rigida, stiff goldenrod: 6, 128
 S. rugosa, goldenrod: 203
 S. speciosa: 65
 S. virgaurea: 139
 Solidago spp.: 206, 284

- Sonchus arvensis*, saw thistle: 295
 S. asper: 270
 S. oleraceus: 270
 S. tenerrimus: 270
- Sophora chrysophylla*, mamani: 287
- Sorbus aucuparia*: 273
 S. scopulina, mountain ash: 80, 171, 247
- Sorghastrum elliottii*: 289
 S. nutans, indiangrass: 65, 80, 159, 233, 244, 289, 300
 S. secundum: 132, 227, 289
- Sorghum halepense*, Johnson grass: 206
 S. versicolor: 122
- Spartina alterniflora*, oyster grass: 214
 S. cynosuroides, hog cane: 214
 S. patens, wiregrass: 214
 S. pectinata, prairie cordgrass, sloughgrass: 128, 233
 Spartina spp., spartina: 132
- Spartium junceum*: 160
- Specularia biflora*: 289
 S. perfoliata, Venus lookingglass: 206
- Sphagnum fuscum*, sphagnum moss: 236
 Sphagnum spp.: 236, 247, 256
- Sphenopholis filiformis*, wedge grass: 289
 S. obtusata: 289
- Spiraea betulifolia*, white spiraea, birch leaf spiraea: 74, 87, 89, 157, 171, 189, 208, 268, 297
 S. tomentosa, steeplebush: 284
 S. ulmaria: 139
 Spiraea spp.: 296
- Spirodela polyrrhiza*, big duckweed: 233
- Sporobolus asper*, meadow dropseed: 41
 S. asper hookeri, meadow dropseed: 311
 S. cryptandrus, sand dropseed: 32, 114, 233
 S. curtissi, Curtiss dropseed: 105, 161

S. fimbriatus: 235
S. floridanus, Florida dropseed: 105
S. heterolepis, prairie dropseed: 80
S. junceus: 289
S. marginatus: 122
S. schlechteri: 279
S. stapfianus: 122, 279
S. wrightii, sacaton: 110
Sporobolus spp.: 132, 139, 156, 159, 303

Stachys betonica: 273
 S. officinalis: 160, 270

Staehelina dubia: 160

Stellaria holostea: 160

Stereochlaena cameronii: 122

Stillingia sylvatica: 289

Stipa avenacea, needlegrass: 289
 S. bromoides: 199
 S. commata, needle-and-thread: 80, 128, 233
 S. leucotricha, Texas wintergrass: 311
 S. lobata, littleawn needlegrass: 129
 S. pulchra: 97, 199
 S. spartea, porcupine grass: 128
 S. tenacissima, finestem needlegrass: 129, 160
 S. tortilis: 199
 S. viridula, green needlegrass: 128
 Stipa spp., needlegrass: 80, 159, 258, 297

Stipagrostis uniplumis: 277

Stoebe cinerea: 271
 S. plumosa: 271

Strophostyles umbellata: 65, 289

Strychnos madagascarensis: 279
 S. pungens: 277

Stylosanthes biflora: 65, 289

Styrax officinalis: 199

Suriana maritima, bay cedar: 132

- Swietenia mahagoni*, mahogany: 132
- Symphoricarpos acutus*: 125
 S. albus, snowberry: 87, 89, 157, 171, 208, 296, 304
 S. occidentalis, western snowberry: 80, 128, 178
 S. orbiculatus, buckbrush: 5, 244, 288
 S. oreophilus, snowberry: 297
 S. vivularis, snowberry: 297
- Symplocos tinctoria*, sweetleaf: 24
- Syzygium huillense*: 298
 S. quineense: 277
- Taeniatherum asperum*, medusahead: 97
- Tamarindus indica*: 303
- Tamus communis*: 160, 199
- Tanacetum vulgare*: 139
- Taraxacum officinale*, common dandelion: 130
- Tarchonanthus camphoratus*: 86, 277
- Taxodium distichum*, river cypress: 93, 148
 T. distichum nutans, pond cypress: 58, 148
- Taxus baccata*: 160
 T. brevifolia: 89
- Tectona grandis*, teak: 35, 134, 152, 301, 302
- Tephrosia ambigua*, hoary pea: 289
 T. indigofera: 279
 T. spicata: 289
 T. virginiana, goat's-rue, devil's shoestring: 65, 289
- Terarrhena juncea*, wiregrass: 45, 85
- Terminalia alata*: 301
 T. bellerica: 302
 T. chebula: 302
 T. glaucescens: 303
 T. sericea: 9, 122, 277, 279
 T. tomentosa, chleek: 301, 302

Tetraclinis articulata: 160
Tetragonotheca helianthoides, pineland ginseng: 289
Teucrium chamaedrys: 160, 270
 T. creticum: 199
Thalictrum occidentale: 171
Thea sinensis, tea: 150
Themeda australis, kangaroo grass: 45
 T. triandra, red grass: 104, 112, 122, 207, 216, 235, 242, 277, 279, 298
Thuja occidentalis, white cedar: 88
 T. plicata, western redcedar: 74, 89, 113, 123, 177, 189, 208, 239
Thymus capitata: 199
 T. serpyllum: 160
 T. vulgaris: 270
Tiarella trifoliata: 89, 171
Tilia americana, basswood: 306
Tillandsia usneoides: 289
Torrubia longifolia, blolly: 132
Trachypogon plumosus, bamboo: 15
 T. spicatus, beard grass: 162, 235, 279
 Trachypogon spp., crinkle awn: 159
Tradescantia ohiensis: 289
Tragia urens: 289
Tragopogon australis: 270
 T. dubius, common salsify: 130
Trautvetteria caroliniensis: 171
Trema amboinensis: 302
Trichachne californica, Arizona cottontop: 39

Trichilia roka: 303
Tricholaena repens, redtop grass: 287
Trichoneura grandiglumis: 122
Trichophorum cespitosum: 188
Trichostema dichotomum: 289
Tridens ambiguus: 289
 T. flavus, tall red-top: 289
 T. juticus, slim tridens: 129
 T. muticus, slim tridens: 129
Tridentalis latifolia: 189
Trifolium angustifolium: 164
 T. arvense: 164
 T. campestre: 160
 T. carolinianum, clover: 289
 T. ciliolatum: 258
 T. hirtum: 164
 T. incaratum, crimson clover: 206
 T. jaminianum: 160
 T. ligusticum: 160
 T. pratense, red clover: 300
 T. procumbens: 206
 T. purpurem: 164
 T. repens, white clover: 6, 238
 Trifolium spp., clover: 22
Trilisa odoratissima, vanilla plant: 289
Trillium ovatum: 171
 Trillium spp.: 306
Tripsacum dactyloides: 289
Trisetum spicatum: 139
Tristachya hispida: 216, 235, 298
 T. superba: 277
Triticum aestivum, wheat: 300
 T. compactum: 139
 T. dicoccoides, summer wheat: 199
 T. durum: 139
 T. vulgare: 139

- Tsuga canadensis*, eastern hemlock: 12, 188, 203, 259, 285, 306
 T. heterophylla, western hemlock: 74, 113, 123, 177, 189, 223
 T. mertensiana, mountain hemlock: 74, 304
- Tylosema fassoglensis*: 277
- Typha latifolia*, cattail: 58, 112, 223, 295, 277
 Typha spp., cattail: 214
- Ulmus alata*, winged elm: 24
 U. americana, American elm: 24, 80, 244, 267, 306
- Uniola sessiliflora*: 289
 Uniola spp., sea oats: 132
- Urginea maritima*: 160
- Urochloa pullulans*: 216
 U. trichopus: 122, 277
- Urtica* spp., nettle: 284
- Vaccinium angustifolium*, lowbush blueberry: 238, 243, 256, 284, 288
 V. arboreum, farkleberry: 24, 65
 V. arkansanum: 58
 V. ashei: 58
 V. edule, lowbush cranberry: 68
 V. elliotii: 24
 V. globulare, blue huckleberry: 89, 171, 239
 V. membranaceum, huckleberry: 171, 208
 V. myrtilloides: 238, 243
 V. myrtilus, bilberry, blaeberry: 119, 274
 V. parvifolium: 189
 V. scoparium, grouse whortleberry: 74, 89, 171, 304
 V. uliginosum alpinum, bilberry: 46
 V. vacillans, low bush blueberry: 65, 203, 238
 V. vitis-idaea minus, mountain cranberry: 46, 83, 236
 Vaccinium spp.: 40, 56, 68, 88, 243, 284
- Verbena canadensis*: 289
- Verbesina angustifolia*: 289
 V. virginica, frost weed: 289
- Vernonia altissima*: 65
 V. angustifolia: 289
 V. krausii: 279

Veronica peregrina, neckweed: 289

Vetiveria nigritana: 277

Viburnum cassinoides, black haw: 203, 256
 V. edule, mooseberry: 247
 V. tinus: 160

Vicia americana, vetch: 90
 V. angustifolia, vetch: 206
 V. sativa: 160
 Vicia spp., vetch: 22, 80, 164

Viguiera stenoloba, skeleton goldeneye: 129

Vinca media: 160

Vincetoxicum nigrum: 270

Viola adunca: 171, 288
 V. lanceolata: 289
 V. pedata: 288
 V. sagittata: 288
 V. septemloba: 289

Vochysia ferruginea, zopilote: 196

Vossia cuspidata, hippo grass: 277

Waldsteinia fragarioides, barren strawberry: 238, 288

Washingtonia filifera, California fan palm: 150, 259, 285

Wilkesia gymnoxiphium, iliau: 287

Woodwardia virginica, chain fern: 58

Xanthium strumarium, cocklebur: 289

Xanthorhorrea australis, yacca: 45

Xeromphis obovata: 279

Xerophyllum tenax, beargrass: 89, 210, 239

Xylia dolabriiformis: 302

Xylopia grandifolia: 35

Xyris ambigua: 289

X. caroliniana: 58, 289

X. fimbriata: 58, 289

X. flexuosa: 289

X. jupicae: 289

Yucca aloifolia, Spanish dagger: 132

Y. baccata, banana yucca: 285

Y. brevifolia, Joshua tree: 285

Y. glauca, soap weed: 233

Y. schidigera, mojave yucca: 285

Y. smalliana, bear-grass: 289

Y. whipplei, Lord's candle: 285

Zamia floridana: 148

Zanthoxylum fagara: 32

Zea mays, corn: 256

Zizania spp., wildrice: 233

Zizaniopsis meliacea, yellow cutgrass: 214

Zizyphus lotus: 160

Z. mucronata: 122, 277

Zizyphus spp.: 302

Zornia bracteata: 289

PUBLICATIONS CITED

Eckels, K. L., A. W. Linder, and A. R. Taylor.

1976. FIREBASE guide: Interim controlled keyword vocabulary for searching and indexing FIREBASE records. USDA For. Serv., Intermt. For. and Range Exp. Stn., Northern Forest Fire Laboratory, Missoula, Mont., 100 p., mimeo.

Komarek, E. V., Sr.

1977. Tall Timbers Research Station, a quest for ecological understanding. The Secretary's Review, March 15, 1958 - June 30, 1975. Tall Timbers Res. Stn., Misc. Publ. No. 5, Tallahassee, Fla., 140 p.

Lindler, A. W., K. L. Eckels, and A. R. Taylor.

1976. FIREBASE guide: interim geographic descriptor vocabulary. USDA For. Serv., Intermt. For. and Range Exp. Stn., Northern Forest Fire Laboratory, Missoula, Mont., 6 p., mimeo.

Taylor, Alan R., and Karen Eckels.

1977. FIREBASE: transferring fire information. Forestry Research: What's New in the West. July 1977. p. 13-16.



Fischer, William C.

1980. Index to the Proceedings of the Tall Timbers Fire Ecology Conference: Numbers 1-15, 1962-1976. USDA For. Serv. Gen. Tech. Rep. INT-87, 140 p.

This report provides an index to the contents of the 15-volume Proceedings of the Tall Timbers Fire Ecology Conferences held annually from 1962 to 1974. All of the papers published in the Proceedings are listed by author, date, and title. The contents of these papers can be searched by using the five-part index provided.

KEYWORDS: fire ecology, prescribed fire, fire effects.

The Intermountain Station, headquartered in Ogden, Utah, is one of eight regional experiment stations charged with providing scientific knowledge to help resource managers meet human needs and protect forest and range ecosystems.

The Intermountain Station includes the States of Montana, Idaho, Utah, Nevada, and western Wyoming. About 231 million acres, or 85 percent, of the land area in the Station territory are classified as forest and rangeland. These lands include grasslands, deserts, shrublands, alpine areas, and well-stocked forests. They supply fiber for forest industries; minerals for energy and industrial development; and water for domestic and industrial consumption. They also provide recreation opportunities for millions of visitors each year.

Field programs and research work units of the Station are maintained in:

Boise, Idaho

Bozeman, Montana (in cooperation with Montana State University)

Logan, Utah (in cooperation with Utah State University)

Missoula, Montana (in cooperation with the University of Montana)

Moscow, Idaho (in cooperation with the University of Idaho)

Provo, Utah (in cooperation with Brigham Young University)

Reno, Nevada (in cooperation with the University of Nevada)



SEP 24 1980
U.S. D. A. LIBRARY
FEDERAL FOREST SERVICE
NATIONAL FOREST SYSTEM